## Chapter 44

## Wood and articles of wood; wood charcoal

- Notes.
- 1.- This Chapter does not cover :
  - (a) Wood, in chips, in shavings, crushed, ground or powdered, of a kind used primarily in perfumery, in pharmacy, or for insecticidal, fungicidal or similar purposes (heading 12.11);
  - (b) Bamboos or other materials of a woody nature of a kind used primarily for plaiting, in the rough, whether or not split, sawn lengthwise or cut to length (heading 14.01);
  - (c) Wood, in chips, in shavings, ground or powdered, of a kind used primarily in dyeing or in tanning (heading 14.04);
  - (d) Activated charcoal (heading 38.02);
  - (e) Articles of heading 42.02;
  - (f) Goods of Chapter 46;
  - (g) Footwear or parts thereof of Chapter 64;
  - (h) Goods of Chapter 66 (for example, umbrellas and walking-sticks and parts thereof);
  - (ij) Goods of heading 68.08;
  - (k) Imitation jewellery of heading 71.17;
  - (I) Goods of Section XVI or Section XVII (for example, machine parts, cases, covers, cabinets for machines and apparatus and wheelwrights' wares);
  - (m) Goods of Section XVIII (for example, clock cases and musical instruments and parts thereof);
  - (n) Parts of firearms (heading 93.05);
  - (o) Articles of Chapter 94 (for example, furniture ,luminaires and lighting fittings, prefabricated buildings);
  - (p) Articles of Chapter 95 (for example, toys, games, sports requisites);
  - (q) Articles of Chapter 96 (for example, smoking pipes and parts thereof, buttons, pencils, and monopods, bipods, tripods and similar articles) excluding bodies and handles,
  - of wood, for articles of heading 96.03;or (r) Articles of Chapter 97 (for example, works of art).
- 2.- In this Chapter, the expression "densified wood" means wood which has been subjected to chemical or physical treatment (being, in the case of layers bonded together, treatment in excess of that needed to ensure a good bond), and which has thereby acquired increased density or hardness together with improved mechanical strength or resistance to chemical or electrical agencies.
- 3.- Headings 44.14 to 44.21 apply to articles of the respective descriptions of particle board or similar board, fibreboard, laminated wood or densified wood as they apply to such articles of wood.
- 4.- Products of heading 44.10, 44.11 or 44.12 may be worked to form the shapes provided for in respect of the goods of heading 44.09, curved, corrugated, perforated, cut or formed to shapes other than square or rectangular or submitted to any other operation provided it does not give them the character of articles of other headings.
- 5.- Heading 44.17 does not apply to tools in which the blade, working edge, working surface or other working part is formed by any of the materials specified in Note 1 to Chapter 82.
- 6.- Subject to Note 1 above and except where the context otherwise requires, any reference to "wood" in a heading of this Chapter applies also to bamboos and other materials of a woody nature.

## Subheading Notes.

- 1.- For the purposes of subheading 4401.31, the expression "wood pellets" means by-products such as cutter shavings, sawdust or chips, of the mechanical wood processing industry, furniture-making industry or other wood transformation activities, which have been agglomerated either directly by compression or by the addition of a binder in a proportion not exceeding 3 % by weight. Such pellets are cylindrical, with a diameter not exceeding 25 mm and a length not exceeding 100 mm.
- 2.- For the purposes of subheading 4401.32, the expression "wood briquettes" means by products such as cutter shavings, saw dust or chips, of the mechanical wood processing industry, furniture making or other wood transformation activities, which have been agglomerated either directly by compression or by addition of binder in a proportion not exceeding 3% by weight. Such briquettes are in the form of cubiform, polyhedral or cylindrical units with the minimum cross-sectional dimension greater than 25mm.
- 3.- For the purposes of subheading 4407.13, "S-P-F" refers to wood sourced from mixed stands of spruce, pine and fir where the proportion of each species varies and is unknown.

| HS Hdg | HS Code    |   | Description  | Unit           | ICL/ |    |    |    | Р  | refere | ntial D | uty |      |       |        | Gen   | VAT  | P    | AL   | Cess | Surcharge<br>on Customs | SSCL  | s<br>c |
|--------|------------|---|--|----------------|------|----|----|----|----|--------|---------|-----|------|-------|--------|-------|------|------|------|------|-------------------------|-------|--------|
| nonag  | no couc    |   | Description  | onic           | SLSI | AP | AD | BN | GT | IN     | РК      | SA  | SF   | SD    | SG     | Duty  | 141  | Gen  | SG   | CC35 | Duty                    | 5562  | L      |
| 44.01  |            |   | Fuel wood, in logs, in billets, in twigs, in<br>faggots or in similar forms; wood in chips<br>or particles; sawdust and wood waste and<br>scrap, whether or not agglomerated in<br>logs, briquettes, pellets or similar forms. |                |      |    |    |    |    |        |         |     |      |       |        |       |      |      |      |      |                         |       |        |
|        |            | - | Fuel wood, in logs, in billets, in twigs, in faggots   |                |      |    |    |    |    |        |         |     |      |       |        |       |      |      |      |      |                         |       | -      |
|        |            |   | or in similar forms :  |                |      |    |    |    |    |        |         |     |      |       |        |       |      |      |      |      |                         |       |        |
|        | 4401.11    |   | Coniferous   | kg             |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  | 12.5%  | 15%   | 18%  | Ex   |      |      |                         | 2.5%  |        |
|        | 4401.12    |   | Non-coniferous   | kg             |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  | 12.5%  | 15%   | 18%  | Ex   |      |      |                         | 2.5%  | _      |
|        |            | - | Wood in chips or particles :   |                |      |    |    |    |    |        |         |     |      |       |        |       |      |      |      |      |                         |       | _      |
|        | 4401.21    |   | Coniferous   | kg             |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  | 12.5%  | 15%   | 18%  | Ex   |      |      | -                       | 2.5%  | -      |
|        | 4401.22    |   | Non-coniferous   | kg             |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  | 12.5%  | 15%   | 18%  | Ex   |      |      |                         | 2.5%  |        |
|        |            | - | Sawdust and wood waste and scrap,<br>agglomerated in logs, briquettes, pellets or<br>similar forms :   |                |      |    |    |    |    |        |         |     |      |       |        |       |      |      |      |      |                         |       |        |
|        | 4401.31    |   | Wood pellets   | kg             |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  |        | 15%   | 18%  | Ex   |      |      |                         | 2.5%  | _      |
|        | 4401.32    |   | Wood briquettes  | kg             |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  |        | 15%   | 18%  | Ex   |      |      |                         | 2.5%  | _      |
|        | 4401.39    |   | Other  | kg             |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  |        | 15%   | 18%  | Ex   |      |      |                         | 2.5%  |        |
|        |            | - | Sawdust and wood waste and scrap, not<br>agglomerated :  | kg             |      |    |    |    |    |        |         |     |      |       |        |       |      |      |      |      |                         | 2.5%  |        |
|        | 4401.41    |   | Sawdust  | kg             |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  | 12.5%  | 15%   | 18%  | Ex   |      |      |                         | 2.5%  |        |
|        | 4401.49    |   | Other  | kg             |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  | 12.5%  | 15%   | 18%  | Ex   |      |      |                         | 2.5%  |        |
| 44.02  |            |   | Wood charcoal (including shell or nut<br>charcoal), whether or not agglomerated.   |                |      |    |    |    |    |        |         |     |      |       | 10.50  | 4.50/ |      |      |      |      |                         | 0.50/ |        |
|        | 4402.10    | - | Of bamboo  | kg             |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  | 12.5%  | 15%   | 18%  | Ex   |      |      | -                       | 2.5%  | _      |
|        | 4402.20    | - | Of shell or nut :  |                | -    |    |    |    |    | -      | -       |     | 50/  | 4 50/ | 12 50/ | 4 50/ | 100/ | -    |      |      |                         | 2 50/ | _      |
|        | 4402.20.10 |   | Coconut shell charcoal   | kg             | -    |    |    |    |    | Free   | Free    |     | 5%   |       | 12.5%  | 15%   | 18%  | Ex   |      |      |                         | 2.5%  | _      |
|        | 4402.20.90 |   | Other  | kg             | -    |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  | 12.5%  | 15%   | 18%  | Ex   |      |      |                         | 2.5%  | _      |
|        | 4402.90    | - | Other  | kg             |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  | 12.5%  | 15%   | 18%  | Ex   |      |      |                         | 2.5%  | +      |
| 44.03  |            |   | Wood in the rough, whether or not<br>stripped of bark or sapwood, or roughly<br>squared (+).   |                |      |    |    |    |    |        |         |     |      |       |        |       |      |      |      |      |                         |       |        |
|        |            | - | Treated with paint, stains, creosote or other preservatives :  |                |      |    |    |    |    |        |         |     |      |       |        |       |      |      |      |      |                         |       |        |
|        | 4403.11    |   | Coniferous   | m <sup>3</sup> | 1    |    | 1  |    | 1  | Free   | Free    | 1   | Free | Free  | Free   | Free  | 18%  | 7.5% | 6.0% |      |                         | 2.5%  | 1      |
|        | 4403.12    |   | Non-coniferous   | m <sup>3</sup> | 1    |    |    | 1  |    | Free   | Free    |     | Free | Free  | Free   | Free  | 18%  | 7.5% |      |      |                         | 2.5%  | 1      |
|        |            | - | Other, coniferous :  |                | 1    |    | 1  | 1  | 1  |        |         | 1   |      |       |        |       |      |      |      |      |                         |       | 1      |
|        | 4403.21    |   | Of pine ( <i>Pinus spp.),</i> of which the smallest cross-sectional dimension is 15 cm or more   | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | Free | Free  | Free   | Free  | 18%  | 7.5% | 6.0% |      |                         | 2.5%  |        |
|        | 4403.22    |   | Of pine ( <i>Pinus spp</i> .), other   | m <sup>3</sup> | 1    |    | 1  | 1  | 1  | Free   | Free    | 1   | Free | Free  | Free   | Free  | 18%  | 7.5% | 6,0% |      |                         | 2.5%  | 1      |
|        | 4403.23    |   | Of fir ( <i>Abies spp.</i> ) and spruce ( <i>Picea spp</i> .), of which the smallest cross-sectional dimension is 15 cm or more  | m³             |      |    |    |    |    |        | Free    |     | Free | Free  | Free   | Free  | 18%  | 7.5% |      |      |                         | 2.5%  |        |
|        | 4403.24    |   | Of fir ( <i>Abies spp</i> .) and spruce ( <i>Picea spp.</i> ), other   | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | Free | Free  | Free   | Free  | 18%  | 7.5% | 6.0% |      |                         | 2.5%  |        |
|        | 4403.25    |   | Other, of which the smallest cross-sectional dimension is 15 cm or more  | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | Free | Free  | Free   | Free  | 18%  | 7.5% | 6.0% |      |                         | 2.5%  |        |
|        | 4403.26    |   | Other  | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | Free | Free  | Free   | Free  | 18%  | 7.5% | 6.0% |      |                         | 2.5%  | 1      |

|        |         |   |  |                | ICL/ |    |    |    | Р  | refere | ntial D | uty |      |      |      | Gen  |     | P    | AL   |      | Surcharge          |      | S |
|--------|---------|---|--|----------------|------|----|----|----|----|--------|---------|-----|------|------|------|------|-----|------|------|------|--------------------|------|---|
| HS Hdg | HS Code |   | Description  | Unit           | SLSI | AP | AD | BN | GT | IN     | РК      | SA  | SF   | SD   | SG   | Duty | VAT | Gen  | SG   | Cess | on Customs<br>Duty | SSCL | L |
|        |         |   |  |                |      |    |    |    |    |        |         |     |      |      |      |      |     |      |      |      |                    |      |   |
|        |         | - | Other, of tropical wood :  |                |      |    |    |    |    |        |         |     |      |      |      |      |     |      |      |      |                    |      |   |
|        | 4403.41 |   | Dark Red Meranti, Light Red Meranti and<br>Meranti Bakau   | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | Free | Free | Free | Free | 18% | 7.5% | 6.0% |      |                    | 2.5% |   |
|        | 4403.42 |   | Teak   | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | Free | Free | Free | Free | 18% | 7.5% | 6.0% |      |                    | 2.5% |   |
|        | 4403.49 |   | Other  | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | Free | Free | Free | Free | 18% | 7.5% | 6.0% |      |                    | 2.5% |   |
|        |         | - | Other :  |                |      |    |    |    |    |        |         |     |      |      |      |      |     |      |      |      |                    |      |   |
|        | 4403.91 |   | Of oak <i>(Quercus spp.)</i>   | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | Free | Free | Free | Free | 18% | 7.5% | 6.0% |      |                    | 2.5% |   |
|        | 4403.93 |   | Of beech ( <i>Fagus spp.),</i> of which the smallest cross-sectional dimension is 15 cm or more  | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | Free | Free | Free | Free | 18% | 7.5% | 6.0% |      |                    | 2.5% |   |
|        | 4403.94 |   | Of beech ( <i>Fagus spp</i> .), other  | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | Free | Free | Free | Free | 18% | 7.5% | 6.0% |      |                    | 2.5% |   |
|        | 4403.95 |   | Of birch ( <i>Betula spp.),</i> of which the smallest cross-sectional dimension is 15 cm or more | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | Free | Free | Free | Free | 18% | 7.5% | 6.0% |      |                    | 2.5% |   |
|        | 4403.96 |   | Of birch ( <i>Betula spp.),</i> other  | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | Free | Free | Free | Free | 18% | 7.5% | 6.0% |      |                    | 2.5% |   |
|        | 4403.97 |   | Of poplar and aspen ( <i>Populus spp</i> .)  | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | Free | Free | Free | Free | 18% | 7.5% | 6.0% |      |                    | 2.5% |   |
|        | 4403.98 |   | Of eucalyptus ( <i>Eucalyptus spp</i> .)   | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | Free | Free | Free | Free | 18% | 7.5% | 6.0% |      |                    | 2.5% |   |
|        | 4403.99 |   | Other  | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | Free | Free | Free | Free | 18% | 7.5% | 6.0% |      |                    | 2.5% |   |
|        |         |   |  |                |      |    |    |    |    |        |         |     |      |      |      |      |     |      |      |      |                    |      |   |

|        |         | Description   | 11               | ICL/ |      |    |    | Ρ  | refere       | ntial D | uty      |              |              |              | Gen          | VAT  | P        | AL | Casa     | Surcharge          | <b>666</b> | s<br>c    |
|--------|---------|---|------------------|------|------|----|----|----|--------------|---------|----------|--------------|--------------|--------------|--------------|------|----------|----|----------|--------------------|------------|-----------|
| HS Hdg | HS Code | Description   | Unit             | SLSI | AP   | AD | BN | GT | IN           | РК      | SA       | SF           | SD           | SG           | Duty         | VAT  | Gen      | SG | Cess     | on Customs<br>Duty | SSCL       | L         |
| 44.04  |         | Hoopwood; split poles; piles, pickets and<br>stakes of wood, pointed but not sawn<br>lengthwise; wooden sticks, roughly<br>trimmed but not turned, bent or otherwise<br>worked, suitable for the manufacture of<br>walking-sticks, umbrellas, tool handles or<br>the like; chipwood and the like. |                  |      |      |    |    |    |              |         |          |              |              |              |              |      |          |    |          |                    |            |           |
|        | 4404.10 | - Coniferous  | kg               |      |      |    |    |    | Free         | Free    |          | Free         | Free         | Free         | Free         | 18%  | Ex       |    |          |                    | 2.5%       | $\square$ |
|        | 4404.20 | - Non-coniferous  | ka               |      |      |    |    |    | Free         | Free    |          | Free         | Free         | Free         | Free         | 18%  | Ex       |    |          |                    | 2.5%       | +         |
|        |         |   | Ng               |      |      |    |    |    |              |         |          |              |              |              |              | 2070 |          |    |          |                    | 210 / 0    | 1         |
| 44.05  | 4405.00 | Wood wool; wood flour.  | kg               |      |      |    |    |    | Free         | Free    |          | Free         | Free         | Free         | Free         | 18%  | 10%      | 6% |          |                    | 2.5%       |           |
|        |         |   |                  |      |      |    |    |    |              |         |          |              |              |              |              |      |          |    |          |                    |            |           |
| 44.06  |         | Railway or tramway sleepers (cross-ties)<br>of wood.  |                  |      |      |    |    |    |              |         |          |              |              |              |              |      |          |    |          |                    |            |           |
|        |         |   |                  |      |      |    |    |    |              |         |          |              |              |              |              |      |          |    |          |                    |            |           |
|        |         | - Not impregnated :   | 2                |      |      |    |    |    |              |         |          |              |              |              |              |      |          |    |          |                    |            |           |
|        | 4406.11 | Coniferous  | m <sup>3</sup>   |      |      |    |    |    | Free         | Free    |          | Free         | Free         | Free         | Free         | 18%  | Ex       |    |          |                    | 2.5%       | <u> </u>  |
|        | 4406.12 | Non-coniferous  | m <sup>3</sup>   |      |      |    |    |    | Free         | Free    |          | Free         | Free         | Free         | Free         | 18%  | Ex       |    |          |                    | 2.5%       |           |
|        |         | - Other :   | 2                |      |      |    |    |    | _            |         |          |              | _            |              |              |      |          |    |          |                    |            | <u> </u>  |
|        | 4406.91 | Coniferous  | m <sup>3</sup>   |      |      |    |    |    | Free         | Free    |          | Free         | Free         | Free         | Free         | 18%  | Ex       |    |          |                    | 2.5%       |           |
|        | 4406.92 | Non-coniferous  | m <sup>3</sup>   |      |      |    |    |    | Free         | Free    |          | Free         | Free         | Free         | Free         | 18%  | 10%      | 6% |          |                    | 2.5%       |           |
| 44.07  |         | Wood sawn or chipped lengthwise, sliced<br>or peeled, whether or not planed, sanded<br>or end-jointed, of a thickness exceeding 6<br>mm.  |                  |      |      |    |    |    |              |         |          |              |              |              |              |      |          |    |          |                    |            |           |
|        |         |   |                  |      |      |    |    |    |              |         |          |              |              |              |              |      |          |    |          |                    |            |           |
|        |         | - Coniferous :  |                  |      |      |    |    |    |              |         |          |              |              |              |              |      |          |    |          |                    |            |           |
|        | 4407.11 | Of pine ( <i>Pinus spp</i> .)   | m <sup>3</sup>   |      |      |    |    |    | Free         | Free    |          | Free         | Free         | Free         | Free         | 18%  | 10%      | 6% |          |                    | 2.5%       |           |
|        | 4407.12 | Of fir (Abies spp.) and spruce ( <i>Picea spp</i> .)  | m <sup>3</sup>   |      |      |    |    |    | Free         | Free    |          | Free         | Free         | Free         | Free         | 18%  | Ex       |    |          |                    | 2.5%       |           |
|        | 4407.13 | Of S-P-F (spruce ( <i>Picea spp</i> .), pine ( <i>Pinus spp</i> .)<br>and fir ( <i>Abies spp</i> .))  | ) m <sup>3</sup> |      |      |    |    |    | Free         | Free    |          | Free         | Free         | Free         | Free         | 18%  | Ex       |    |          |                    | 2.5%       |           |
|        | 4407.14 | Of Hem-fir (Western hemlock ( <i>Tsuga</i><br>heterophylla) and fir ( <i>Abies spp</i> .))  | m <sup>3</sup>   |      |      |    |    |    | Free         | Free    |          | Free         | Free         | Free         | Free         | 18%  | Ex       |    |          |                    | 2.5%       |           |
|        | 4407.19 | Other   | m <sup>3</sup>   |      |      |    |    |    | Free         | Free    |          | Free         | Free         | Free         | Free         | 18%  | Ex       |    |          |                    | 2.5%       |           |
|        | 4407.21 | Of tropical wood : Mahogany ( <i>Swietenia spp</i> .)   | m <sup>3</sup>   | +    | Free |    |    |    | Erco         | Eroo    | <u> </u> | Erco         | Eroo         | Erco         | Eroo         | 18%  | Ex       | +  | <u> </u> | <u> </u>           | 2.5%       | +'        |
|        | 4407.21 | Virola, Imbuia and Balsa  | m <sup>3</sup>   |      | Free |    |    |    | Free<br>Free | Free    |          | Free<br>Free | Free<br>Free | Free<br>Free | Free<br>Free | 18%  | Ex<br>Ex |    | <u> </u> | <u>├</u>           | 2.5%       | +         |
|        | 4407.22 | Virola, Imbula and Baisa  |                  |      | гіее |    |    |    | Free         | Free    |          |              |              |              |              | 18%  | Ex<br>Ex |    |          |                    | 2.5%       | +-        |
|        |         |   | m <sup>3</sup>   | +    |      | -  |    |    | rree         | Free    |          | Free         | Free         | Free         | Free         |      | ⊏X       |    |          |                    | 2.5%       | +         |
|        | 4407.25 | Dark Red Meranti, Light Red Meranti and<br>Meranti Bakau  | m <sup>3</sup>   |      | Free |    |    |    | Free         | Free    |          | Free         | Free         | Free         | Free         | 18%  | Ex       |    |          |                    | 2.5%       | $\bot$    |
|        | 4407.26 | White Lauan, White Meranti, White Seraya,<br>Yellow Meranti and Alan  | m <sup>3</sup>   |      | Free |    |    |    | Free         | Free    |          | Free         | Free         | Free         | Free         | 18%  | Ex       |    |          |                    | 2.5%       |           |
|        | 4407.27 | Sapelli   | m <sup>3</sup>   |      | Free |    |    |    | Free         | Free    |          | Free         | Free         | Free         | Free         | 18%  | Ex       |    |          |                    | 2.5%       |           |

| HS Hdg | HS Code    |   | Description  | Unit           | ICL/     |        |    |          | P  | refere | ntial D | uty |      |       |          | Gen             | VAT   | P     | AL       | Cess | Surcharge<br>on Customs | SSCL         | s<br>c    |
|--------|------------|---|--|----------------|----------|--------|----|----------|----|--------|---------|-----|------|-------|----------|-----------------|-------|-------|----------|------|-------------------------|--------------|-----------|
| ns nug | ns code    |   | Description  | Unit           | SLSI     | AP     | AD | BN       | GT | IN     | РК      | SA  | SF   | SD    | SG       | Duty            | VAT   | Gen   | SG       | Cess | Duty                    | SSUL         | L         |
|        | 4407.20    |   | Tueles   | 3              |          | E.e.e. |    |          |    | E.e.e. | E.e.e.  |     | Fuer | Euro. | <b>E</b> | E.e.e.          | 100/  | E.    |          |      |                         | 2 50/        |           |
|        | 4407.28    |   | Iroko  | m <sup>3</sup> |          | Free   |    |          |    | Free   | Free    |     | Free | Free  | Free     | Free            | 18%   | Ex    | 60/      |      |                         | 2.5%         |           |
|        | 4407.29    |   | Other<br>Other :   | m <sup>3</sup> |          | Free   |    |          |    | Free   | Free    |     | Free | Free  | Free     | Free            | 18%   | 10%   | 6%       |      |                         | 2.5%         |           |
|        | 4407.91    | - | Of oak ( <i>Quercus spp</i> .)   | m <sup>3</sup> |          | Free   |    |          |    | Free   | Free    |     | Free | Free  | Free     | Free            | 18%   | 10%   | 6%       |      |                         | 2.5%         |           |
|        | 4407.92    |   | Of beech (Fagus spp.)  | m <sup>3</sup> |          | Free   |    |          |    | Free   | Free    |     | Free | Free  | Free     | Free            | 18%   | 10%   | 6%       |      |                         | 2.5%         |           |
|        | 4407.93    |   | Of maple <i>(Acer spp.)</i>  | m <sup>3</sup> |          | Free   |    |          |    | Free   | Free    |     | Free | Free  | Free     | Free            | 18%   | Ex    | 0 /0     |      |                         | 2.5%         | +         |
|        | 4407.94    |   | Of cherry (Prunus spp.)  | m <sup>3</sup> |          | Free   |    |          |    | Free   | Free    |     | Free | Free  | Free     | Free            | 18%   | Ex    |          |      |                         | 2.5%         | +         |
|        | 4407.95    |   | Of ash ( <i>Fraxinus spp.</i> )  | m <sup>3</sup> |          | Free   |    |          |    | Free   | Free    |     | Free | Free  | Free     | Free            | 18%   | Ex    |          |      |                         | 2.5%         | +         |
|        | 4407.96    |   | Of birch ( <i>Betula spp.</i> )  | m <sup>3</sup> |          | Free   |    | 1        |    | Free   | Free    |     | Free | Free  | Free     | Free            | 18%   | Ex    |          | -    |                         | 2.5%         |           |
|        | 4407.97    |   | Of poplar and aspen ( <i>Populus spp</i> .)  | m <sup>3</sup> |          | Free   |    |          |    | Free   | Free    |     | Free | Free  | Free     | Free            | 18%   | Ex    |          |      |                         | 2.5%         | +         |
|        | 4407.99    |   | Other :  | 111            |          | TIEE   |    |          |    | TTEE   | TIEE    |     | TIEE | TIEE  | TIEE     | TIEE            | 10 /0 |       |          |      |                         | 2.370        | +         |
|        | 4407.99.10 |   | Of rubber  | m <sup>3</sup> |          | Free   |    |          |    | Free   | Free    |     | Free | Free  | Free     | Free            | 18%   | Ex    |          |      | 1                       | 2.5%         |           |
|        | 4407.99.20 | _ | Of coconut   | m <sup>3</sup> |          | Free   |    |          |    | Free   | Free    |     | Free | Free  | Free     | Free            | 18%   | Ex    |          |      |                         | 2.5%         | -         |
|        | 4407.99.30 |   | Of ebony   | m <sup>3</sup> | <u> </u> | Free   |    | <u> </u> |    | Free   | Free    |     | Free | Free  | Free     | Free            | 18%   | Ex    | <u> </u> |      |                         | 2.5%         | +         |
|        | 4407.99.90 |   | Other  | m <sup>3</sup> |          | Free   |    |          |    | Free   | Free    | 1   | Free | Free  | Free     | Free            | 18%   | 10%   | 6%       | 1    | 1                       | 2.5%         | +         |
|        | 1107.55.50 |   |  |                |          | Thee   |    |          |    | TICC   | TICC    |     | TICC | TICC  | TICC     | TICC            | 1070  | 10 /0 | 0 /0     |      |                         | 2.370        | +         |
| 44.08  |            |   | Sheets for veneering (including those<br>obtained by slicing laminated wood), for<br>plywood or for similar laminated wood<br>and other wood, sawn lengthwise, sliced<br>or peeled, whether or not planed, sanded,<br>spliced or end-jointed, of a thickness not<br>exceeding 6 mm.        |                |          |        |    |          |    |        |         |     |      |       |          |                 |       |       |          |      |                         |              |           |
|        |            |   |  |                |          |        |    |          |    |        |         |     |      |       |          |                 |       |       |          |      |                         |              |           |
|        | 4408.10    | - | Coniferous   | kg             |          |        |    |          |    | Free   | Free    |     | Free | Free  | Free     | Free            | 18%   | 10%   | 6%       |      |                         | 2.5%         |           |
|        |            | - | Of tropical wood :   |                |          |        |    |          |    |        |         |     |      |       |          |                 |       |       |          |      |                         |              |           |
|        | 4408.31    |   | Dark Red Meranti, Light Red Meranti and  | kg             |          |        |    |          |    | Free   | Free    |     | Free | Free  | Free     | Free            | 18%   | Ex    |          |      |                         | 2.5%         |           |
|        | 4400.00    |   | Meranti Bakau  |                |          |        |    | -        |    |        |         |     |      |       |          |                 |       |       | 60/      |      |                         |              | +         |
|        | 4408.39    |   | Other  | kg             |          |        |    |          |    | Free   | Free    |     | Free | Free  | Free     | Free            | 18%   | 10%   | 6%<br>6% |      |                         | 2.5%<br>2.5% |           |
|        | 4408.90    | - | Other  | kg             |          |        |    | -        |    | Free   | Free    |     | Free | Free  | Free     | Free            | 18%   | 10%   | 6%       | -    |                         | 2.5%         |           |
| 44.09  |            |   | Wood (including strips and friezes for<br>parquet flooring, not assembled)<br>continuously shaped (tongued, grooved,<br>rebated, chamfered, V-jointed, beaded,<br>moulded, rounded or the like) along any<br>of its edges, ends or faces, whether or not<br>planed, sanded or end-jointed. |                |          |        |    |          |    |        |         |     |      |       |          |                 |       |       |          |      |                         |              |           |
|        |            |   |  |                |          |        |    |          |    |        |         |     |      |       |          |                 |       |       |          |      |                         |              |           |
|        | 4409.10    | - | Coniferous   | kg             |          |        |    |          |    | Free   | Free    |     | Free | Free  | Free     | Free            | 18%   | Ex    |          |      |                         | 2.5%         | ļ         |
|        |            | - | Non-coniferous :   |                |          |        |    |          |    |        |         |     |      |       |          |                 |       |       |          |      |                         |              |           |
|        | 4409.21    |   | Of bamboo  | kg             |          |        |    |          |    |        | Free    |     | Free | Free  | Free     | Rs.50<br>per Kg | 18%   | 10%   | 6%       |      |                         | 2.5%         |           |
|        | 4409.22    |   | Of tropical wood   | kg             |          |        |    |          |    | Free   | Free    |     | Free | Free  | Free     | Free            | 18%   | 10%   | 6%       |      |                         | 2.5%         | $\vdash$  |
|        | 4409.29    |   | Other  | kg             |          |        |    |          |    | Free   | Free    |     | Free | Free  | Free     | Free            | 18%   | 10%   | 6%       |      |                         | 2.5%         | $\square$ |
| 44.10  |            |   | Particle board, oriented strand board<br>(OSB) and similar board (for example,<br>waferboard) of wood or other ligneous<br>materials, whether or not agglomerated<br>with resins or other organic binding<br>substances.   |                |          |        |    |          |    |        |         |     |      |       |          |                 |       |       |          |      |                         |              |           |

| HS Hdg | HS Code               | Description   | Unit             | ICL/ |      |      |          | P  | refere     | ntial D | uty |             |       |      | Gen  | VAT   | P     | AL         | Cess    | Surcharge<br>on Customs | SSCL  | s |
|--------|-----------------------|---|------------------|------|------|------|----------|----|------------|---------|-----|-------------|-------|------|------|-------|-------|------------|---------|-------------------------|-------|---|
| nonug  | 115 Code              | Description   | ome              | SLSI | AP   | AD   | BN       | GT | IN         | РК      | SA  | SF          | SD    | SG   | Duty | VAI   | Gen   | SG         | Cess    | Duty                    | SSCL  | ì |
|        |                       |   |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       | T |
|        |                       |   |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       | + |
|        | 4410.11               | - Of wood :<br>Particle board :   |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       | + |
|        | 4410.11               | Raw particle board :  | kg               |      |      |      |          |    | Free       | Free    |     | Free        | Free  |      | Free | 18%   | 10%   | 6%         | 10%     |                         | 2.5%  | ╈ |
|        | 4410.11.90            | Other   | kg               |      |      |      |          |    | Free       | Free    |     | 4%          | 1.50% |      | Free | 18%   | 10%   | 6%         | 8%      | 1                       | 2.5%  | + |
|        | 4410.12               | Oriented strand board (OSB)   | kg               |      |      |      |          |    | Free       | Free    |     | 4%          | 1.50% |      | Free | 18%   | Ex    | 0.00       | 10%     |                         | 2.5%  | Ť |
|        | 4410.19               | Other   | kg               |      |      |      |          |    | Free       | Free    |     | 4%          | 1.50% |      | Free | 18%   | Ex    |            | 10%     |                         | 2.5%  | T |
|        | 4410.90               | - Other   | kg               |      | Free |      | Free     |    | Free       | Free    |     | 4%          | 1.50% |      | Free | 18%   | 10%   | 6%         | 10%     |                         | 2.5%  | Ι |
|        |                       |   |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       | _ |
| 4.11   |                       | Fibreboard of wood or other ligneous  |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       |   |
|        |                       | materials, whether or not bonded with   |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       |   |
|        |                       | resins or other organic substances.   |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       | 4 |
|        |                       | - Medium density fibreboard (MDF) :   |                  |      |      | -    |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       | + |
|        | 4411.12               | Of a thickness not exceeding 5 mm :   |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       | ┥ |
|        | 4411.12.10            | Of a density exceeding 0.8 g/cm <sup>3</sup> , not  |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       | - |
|        |                       | mechanically worked or surface covered  | kg               |      |      | Free | Free     |    | Free       | Free    |     | Free        | Free  | Free | Free | 18%   | 10%   | 6%         |         |                         | 2.5%  |   |
|        | 4411.12.90            | Other   | kg               | 1    |      |      |          |    | Free       | Free    |     | Free        | Free  | Free | Free | 18%   | 10%   | 6%         |         |                         | 2.5%  | - |
|        | 4411.13               | Of a thickness exceeding 5 mm but not   |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       | 1 |
|        |                       | exceeding 9 mm :  |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       |   |
|        | 4411.13.10            | Of a density exceeding 0.8 g/cm <sup>3</sup> , not  | kg               |      |      | Free | Free     |    | Free       | Free    |     | Free        | Free  | Free | Free | 18%   | 10%   | 6%         |         |                         | 2.5%  |   |
|        |                       | mechanically worked or surface covered  | -                |      |      | mee  |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       |   |
|        | 4411.13.90            | Other   | kg               |      |      |      |          |    | Free       | Free    |     | Free        | Free  | Free | Free | 18%   | 10%   | 6%         |         |                         | 2.5%  | _ |
|        | 4411.14<br>4411.14.10 | Of a thickness exceeding 9 mm :   |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       | _ |
|        | 4411.14.10            | Of a density exceeding 0.8 g/cm <sup>3</sup> , not mechanically worked or surface covered | kg               |      |      | Free | Free     |    | Free       | Free    |     | Free        | Free  | Free | Free | 18%   | 10%   | 6%         |         |                         | 2.5%  |   |
|        | 4411.14.90            | Other   | kg               |      |      |      |          |    | Free       | Free    |     | Free        | Free  | Free | Free | 18%   | 10%   | 6%         |         |                         | 2.5%  | - |
|        | 4411.14.90            | - Other :   | ĸġ               |      |      |      |          |    | TIEE       | TIEE    |     | Tiee        | nee   | TIEE | TIEE | 10 /0 | 10 /0 | 0 /0       |         |                         | 2.370 | - |
|        | 4411.92               | Of a density exceeding 0.8 g/cm <sup>3</sup> :  |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       | - |
|        | 4411.92.10            | Not mechanically worked or surface covered  | 1.               |      |      | -    | _        |    | _          | _       |     | _           | _     | -    | _    | 100/  | 100/  | <i>co.</i> |         |                         | 0.50/ | - |
|        |                       |   | kg               |      |      | Free | Free     |    | Free       | Free    |     | Free        | Free  | Free | Free | 18%   | 10%   | 6%         |         |                         | 2.5%  |   |
|        | 4411.92.90            | Other   | kg               |      |      |      |          |    | Free       | Free    |     | Free        | Free  | Free | Free | 18%   | 10%   | 6%         |         |                         | 2.5%  | _ |
|        | 4411.93               | Of a density exceeding 0.5 g/cm <sup>3</sup> but not                                      | kg               |      |      |      |          |    | Free       | Free    |     | Free        | Free  | Free | Free | 18%   | 10%   | 6%         |         |                         | 2.5%  |   |
|        |                       | exceeding 0.8 g/cm <sup>3</sup>   | -                |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       | _ |
|        | 4411.94               | Of a density not exceeding 0.5 g/cm <sup>3</sup>  | kg               |      |      |      |          |    | Free       | Free    |     | Free        | Free  | Free | Free | 18%   | 10%   | 6%         |         |                         | 2.5%  | _ |
|        |                       |   |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       | _ |
| 4.12   |                       | Plywood, veneered panels and similar<br>laminated wood.                                   |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       | / |
|        |                       |   |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       | 4 |
|        | 4412.10               | - Of bamboo :   |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       | + |
|        | 4412.10.10            | Plywood panels either side not exceeding 600  |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       | - |
|        |                       | mm in dimension consisting 6 pieces per set for   | r m <sup>3</sup> |      |      |      |          |    | Free       | Free    |     | Free        | Free  | Free | Free | 18%   | Ex    |            |         |                         | 2.5%  |   |
|        |                       | the assembly of tea chests  |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       |   |
|        | 4412.10.90            | Other   | m <sup>3</sup>   |      |      |      |          |    | Free       | Free    |     | 5%          | 4.5%  |      | 15%  | 18%   | Ex    |            |         |                         | 2.5%  |   |
|        |                       | - Other plywood, consisting solely of sheets of   |                  |      |      | 1    | 1        |    |            |         | 1   | -           |       |      |      |       | 1     | İ          |         |                         |       | 1 |
|        |                       | wood (other than bamboo), each ply not  |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       |   |
|        |                       | exceeding 6 mm thickness :  |                  |      |      |      |          |    |            |         |     |             |       |      |      |       |       |            |         |                         |       |   |
|        | 4412.31               | With at least one outer ply of tropical wood :  | _                |      |      |      |          |    |            |         |     |             |       |      | ļ    |       |       |            | 1001    | <b>↓</b>                |       |   |
|        | 4412.31.10            | Of a thickness exceeding 3mm  | з                |      |      |      |          |    | -          | -       |     | <b>F</b> 0/ | 4 500 |      | 2001 | 1001  | 1001  | <i>c</i>   | 10% or  |                         | 2 52/ |   |
|        |                       |   | m³               |      |      |      |          |    | ⊦ree       | Free    |     | 5%          | 4.5%  |      | 20%  | 18%   | 10%   | 6%         | Rs.20/= |                         | 2.5%  |   |
|        | 4412.31.90            | Other   | m <sup>3</sup>   |      |      |      | <u> </u> |    | <b>F</b> w | Free    |     | 5%          | 4.5%  |      | 20%  | 18%   | 10%   | 6%         | per kg  | <u> </u>                | 2.5%  | + |

| HS Hdg | HS Code    |   | Description   | Unit           | ICL/ |    |    |    | Ρ  | refere | ntial D | uty |      |       |      | Gen  | VAT   | P        | AL | Cess                        | Surcharge<br>on Customs | SSCL  | s<br>c |
|--------|------------|---|---|----------------|------|----|----|----|----|--------|---------|-----|------|-------|------|------|-------|----------|----|-----------------------------|-------------------------|-------|--------|
| nonag  | no coue    |   | Description   | onic           | SLSI | AP | AD | BN | GT | IN     | РК      | SA  | SF   | SD    | SG   | Duty |       | Gen      | SG | 6633                        | Duty                    | 5562  | Ľ      |
|        | 4412.33    |   | Other, with at least one outer ply of non-<br>coniferous wood of the species alder ( <i>Alnus</i>   |                |      |    |    |    |    |        |         |     |      |       |      |      |       |          |    |                             |                         |       |        |
|        |            |   | <i>spp</i> .), ash ( <i>Fraxinus spp</i> .), beech ( <i>Fagus spp</i> .),<br>birch ( <i>Betula spp</i> .), cherry ( <i>Prunus spp</i> .),<br>chestnut ( <i>Castanea spp</i> .), elm ( <i>Ulmus spp</i> .),<br>eucalyptus ( <i>Eucalyptus spp</i> .), hickory ( <i>Carya<br/>spp</i> .), horse chesnut ( <i>Aesculus spp</i> .), lime<br>( <i>Tilia spp</i> .), maple ( <i>Acer spp</i> .), oak ( <i>Quercus</i> |                |      |    |    |    |    |        |         |     |      |       |      |      |       |          |    |                             |                         |       |        |
|        |            |   | ( <i>This Spp.</i> ), the left ( <i>Platanus spp.</i> ), our ( <i>Quercus spp.</i> ), plane tree ( <i>Platanus spp.</i> ), poplar and aspen ( <i>Populus spp.</i> ), robinia ( <i>Robinia spp.</i> ), tulipwood ( <i>Liriodendron spp.</i> ) or walnut  |                |      |    |    |    |    |        |         |     |      |       |      |      |       |          |    |                             |                         |       |        |
|        | 4412.33.10 |   | Of a thickness exceeding 3 mm   | m³             |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  |      | 20%  | 18%   | 10%      | 6% | 10% or<br>Rs.20/=<br>per kg |                         | 2.5%  |        |
|        | 4412.33.90 |   | Other   | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  |      | 20%  | 18%   | 10%      | 6% | per ng                      |                         | 2.5%  | 1      |
|        | 4412.34    |   | Other, with at least one outer ply of non-<br>coniferous wood not specified under subheading<br>4412.33 :   |                |      |    |    |    |    |        |         |     |      |       |      |      |       |          |    |                             |                         |       |        |
|        | 4412.34.10 |   | Of a thickness exceeding 3 mm   | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  |      | 20%  | 18%   | 10%      | 6% | 10% or<br>Rs.20/=<br>per kg |                         | 2.5%  |        |
|        | 4412.34.90 |   | Other   | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  |      | 20%  | 18%   | 10%      | 6% | pering                      |                         | 2.5%  |        |
|        | 4412.39    |   | Other , with both outer plies of coniferous wood  |                |      |    |    |    |    |        |         |     |      |       |      |      |       |          |    |                             |                         |       |        |
|        | 4412.39.10 |   | Plywood panels either side not exceeding 600<br>mm in dimension consisting 6 pieces per set for<br>the assembly of tea chests   | m³             |      |    |    |    |    | Free   | Free    |     | Free | Free  | Free | Free | 18%   | Ex       |    |                             |                         | 2.5%  |        |
|        | 4412.39.91 |   | Other :<br>Of a thickness exceeding 3mm   | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  |      | 20%  | 18%   | 10%      | 6% | 10% or<br>Rs.20/=<br>per kg |                         | 2.5%  |        |
|        | 4412.39.99 |   | Other   | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  |      | 20%  | 18%   | 10%      | 6% | poring                      |                         | 2.5%  |        |
|        | 4412.41    | - | Laminated veneered lumber (LVL) :   | m <sup>3</sup> |      |    |    |    |    | Even   | E.e.e.  |     | 5%   | 4 50/ |      | 20%  | 1.00/ | <b>F</b> |    |                             |                         | 2 50/ | -      |
|        | 4412.41    |   | With at least one outer ply of tropical wood<br>Other, with at least one outer ply of non-  |                |      |    |    |    |    | Free   | Free    |     |      | 4.5%  |      |      | 18%   | Ex       |    |                             |                         | 2.5%  |        |
|        |            |   | coniferous wood   | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  |      | 20%  | 18%   | Ex       |    |                             |                         | 2.5%  |        |
|        | 4412.49    |   | Other, with both outer plies of coniferous wood   | m³             |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  |      | 20%  | 18%   | Ex       |    |                             |                         | 2.5%  |        |
|        |            | - | Blockboard, laminboard and battenboard :  | 2              |      |    |    |    |    |        |         |     |      |       |      |      | 18%   |          |    |                             |                         |       |        |
|        | 4412.51    |   | With at least one outer ply of tropical wood  | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  |      | 20%  | 18%   | Ex       |    |                             |                         | 2.5%  | ┥      |
|        | 4412.52    |   | Other, with at least one outer ply of non-<br>coniferous wood   | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  |      | 20%  | 18%   | Ex       |    |                             |                         | 2.5%  |        |
|        | 4412.59    |   | Other, with both outer plies of coniferous wood   | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  |      | 20%  | 18%   | Ex       |    |                             |                         | 2.5%  |        |
|        |            | - | Other :   |                |      |    |    |    |    |        |         |     |      |       |      |      |       |          |    |                             |                         |       |        |
|        | 4412.91    |   | With at least one outer ply of tropical wood  | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  |      | 20%  | 18%   | Ex       |    |                             |                         |       |        |
|        | 4412.92    |   | Other, with at least one outer ply of non-<br>coniferous wood   | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  |      | 20%  | 18%   | Ex       |    |                             |                         |       |        |
|        | 4412.99    |   | Other, with both outer plies of coniferous wood   | m <sup>3</sup> |      |    |    |    |    | Free   | Free    |     | 5%   | 4.5%  |      | 20%  | 18%   | 10%      | 6% |                             |                         |       | 1      |
|        |            |   |   |                |      |    |    |    |    |        |         |     |      |       |      |      |       |          |    |                             |                         |       | $\bot$ |
| 44.13  | 4413.00    |   | Densified wood, in blocks, plates, strips or profile shapes.  |                |      |    |    |    |    |        |         |     |      |       |      |      |       |          |    |                             |                         |       |        |

| HS Hdg | HS Code    |    | Description   | Unit | ICL/<br>SLSI |        |    |    | Ρ  | refere | ntial D | uty |      |      |       | Gen  | VAT  | P    | AL       | Cess                        | Surcharge<br>on Customs | SSCL    | s<br>C |
|--------|------------|----|---|------|--------------|--------|----|----|----|--------|---------|-----|------|------|-------|------|------|------|----------|-----------------------------|-------------------------|---------|--------|
| пэпад  | ns code    |    | Description   | Unit | SLSI         | AP     | AD | BN | GT | IN     | PK      | SA  | SF   | SD   | SG    | Duty | VAI  | Gen  | SG       | Cess                        | Duty                    | SSCL    | L      |
|        |            |    |   |      |              |        |    |    |    | -      | -       |     | =0/  | . =  |       | 2004 | 100/ |      |          |                             |                         | 0 =0/   |        |
|        | 4413.00.10 |    | Of rubber wood  | kg   |              |        |    |    |    | Free   | Free    |     | 5%   | 4.5% |       | 20%  | 18%  | Ex   | <u> </u> |                             |                         | 2.5%    | -      |
|        | 4413.00.90 |    | Other   | kg   |              |        |    |    |    | Free   | Free    |     | 5%   | 4.5% |       | 20%  | 18%  | 10%  | 6%       |                             |                         | 2.5%    |        |
| 14.14  |            |    | Wooden frames for paintings,<br>photographs, mirrors or similar objects.  |      |              |        |    |    |    |        |         |     |      |      |       |      |      |      |          |                             |                         |         |        |
|        | 4414.10    | -  | Of tropical wood  | kg   |              | 18.0%  |    |    |    | Free   | Free    |     | 5%   | 5%   |       | 20%  | 18%  | Ex   |          | 10%                         |                         | 2.5%    | +      |
|        | 4414.90    | -  | Other   | kg   |              | 18.0%  |    |    |    | Free   | Free    |     | 5%   | 5%   |       | 20%  | 18%  | Ex   |          | 10%                         |                         | 2.5%    |        |
| 44.15  |            |    | Packing cases, boxes, crates, drums and<br>similar packings, of wood; cable-drums of<br>wood; pallets, box pallets and other load<br>boards, of wood; pallet collars of wood. |      |              |        |    |    |    |        |         |     |      |      |       |      |      |      |          |                             |                         |         |        |
|        | 4415.10    | -  | Cases, boxes, crates, drums and similar   | u    |              | 18.0%  |    |    |    | Free   | Free    |     | 5%   | 5%   |       | 20%  | 18%  | 10%  | 6%       | 10%                         |                         | 2.5%    |        |
|        | 4415.20    | -  | packings; cable-drums<br>Pallets, box pallets and other load boards; pallet   | u    |              | 18.0%  |    |    |    | Free   | Free    |     | 5%   | 5%   |       | 20%  | 18%  | 10%  | 6%       | 10%                         |                         | 2.5%    |        |
|        |            | -  | collars   | ŭ    |              | 10.070 |    |    |    |        |         |     | 0.00 | 0.10 |       | 2070 | 1070 | 1070 | 0.0      | 10.00                       |                         | 210 / 0 | +      |
| 44.16  | 4416.00    |    | Casks, barrels, vats, tubs and other<br>coopers' products and parts thereof, of<br>wood, including staves.  | kg   |              |        |    |    |    | Free   | Free    |     | 5%   | 5%   |       | 20%  | 18%  | 10%  | 6%       | 10%                         |                         | 2.5%    |        |
| 44.17  | 4417.00    |    | Tools, tool bodies, tool handles, broom or<br>brush bodies and handles, of wood; boot<br>or shoe lasts and trees, of wood.  |      |              |        |    |    |    |        |         |     |      |      |       |      |      |      |          |                             |                         |         |        |
|        | 4417.00.10 |    | Boot and shoe lasts   | kg   |              |        |    |    |    | Free   | Free    |     | 5%   | 4.5% |       | 20%  | 18%  | Ex   |          |                             |                         | 2.5%    |        |
|        | 4417.00.90 |    | Other   | kg   |              |        |    |    |    | Free   | Free    |     | 5%   | 5%   |       | 20%  | 18%  | 10%  | 6%       | 10%                         |                         | 2.5%    | 1      |
| 44.18  |            |    | Builders' joinery and carpentry of wood,<br>including cellular wood panels, assembled<br>flooring panels, shingles and shakes.  |      |              |        |    |    |    |        |         |     |      |      |       |      |      |      |          |                             |                         |         |        |
|        |            | -  | Windows, French-windows and their frames :  |      |              |        |    |    |    |        |         |     |      |      |       |      |      |      |          |                             |                         |         | +      |
|        | 4418.11    |    | Of tropical wood  | kg   |              | 18.0%  |    |    |    | Free   | Free    |     | 5%   | 5%   |       | 20%  | 18%  | Ex   |          | 20% or<br>Rs.70/=<br>per kg |                         | 2.5%    |        |
|        | 4418.19    |    | Other   | kg   |              | 18.0%  |    |    |    | Free   | Free    |     | 5%   | 5%   |       | 20%  | 18%  | Ex   |          | 20% or<br>Rs.70/=<br>per kg |                         | 2.5%    |        |
|        |            | -  | Doors and their frames and thresholds :   |      |              |        |    |    |    |        |         |     |      |      |       |      |      |      |          |                             |                         |         | L      |
|        | 4418.21    |    | Of tropical wood  | kg   |              | 18.0%  |    |    |    | Free   | Free    |     | 5%   | 5%   |       | 20%  | 18%  | Ex   |          | 20% or<br>Rs.70/=<br>per kg |                         | 2.5%    |        |
|        | 4418.29    |    | Other   | kg   |              | 18.0%  |    |    |    | Free   | Free    |     | 5%   | 5%   |       | 20%  | 18%  | Ex   |          | 20% or<br>Rs.70/=<br>per kg |                         | 2.5%    |        |
|        | 4418.30    | -  | Posts and beams other than products of subheadings 4418.81 to 4418.89   | kg   |              |        |    |    |    | Free   | Free    |     | 5%   | 5%   |       | 20%  | 18%  | Ex   |          | 20% or<br>Rs.70/=<br>per kg |                         | 2.5%    |        |
|        | 4418.40    | 1- | Shuttering for concrete constructional work   | kg   | 1            |        |    | 1  |    | Free   | Free    |     | 5%   | 5%   | 16.7% | 20%  | 18%  | Ex   |          | 10%                         |                         | 2.5%    | 1      |

|        | Hdg HS Code 4418.50 - | Description | Unit   | ICL/<br>SLSI |      |       |    | Ρ  | refere | ntial D | uty  |    |     |     | Gen  | VAT  | P.   | AL   | 6   | Surcharge | <b>666</b>         |                     |   |
|--------|-----------------------|-------------|--|--------------|------|-------|----|----|--------|---------|------|----|-----|-----|------|------|------|------|-----|-----------|--------------------|---------------------|---|
| HS Hag | HS Code               |             | Description                                    | Unit         | SLSI | AP    | AD | BN | GT     | IN      | РК   | SA | SF  | SD  | SG   | Duty | VAI  | Gen  | SG  | Cess      | on Customs<br>Duty | SSCL                |   |
|        |                       |             |  |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     |           |                    |                     | _ |
|        | 4418.50               | -           | Shingles and shakes                            | kg           |      |       |    |    |        | Free    | Free |    | 5%  | 5%  |      | 20%  | 18%  | Ex   |     | 10%       |                    | 2.5%                | _ |
|        |                       | -           | Assembled flooring panels :                    |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     |           |                    |                     | _ |
|        | 4418.73               |             | Of bamboo or with at least the top layer (wear | kg           |      |       |    |    |        | Free    | Free |    | 5%  | 5%  | Free | Free | 18%  | 10%  | 6%  |           |                    | 2.5%                |   |
|        |                       | _           | laver) of bamboo                               | 5            |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     |           |                    |                     |   |
|        | 4418.74               |             | Other, for mosaic floors :                     |              |      |       |    |    |        | -       | _    |    | =0/ | =0/ |      | 2001 | 100/ | _    |     | 100/      |                    | 0 50/               | _ |
|        | 4418.74.10            |             | Of rubber wood                                 | kg           |      |       |    |    |        | Free    | Free |    | 5%  | 5%  |      | 20%  | 18%  | Ex   |     | 10%       |                    | 2.5%                | _ |
|        | 4418.74.90            |             | Other  | kg           |      |       |    |    |        | Free    | Free |    | 5%  | 5%  |      | 20%  | 18%  | Ex   |     | 10%       |                    | 2.5%                | _ |
|        | 4418.75               |             | Other, multilayer :                            |              |      |       |    |    |        | -       | _    |    | =0/ | =0/ |      | 2001 | 100/ | _    |     | 100/      |                    | 0 50/               | _ |
|        | 4418.75.10            |             | Of rubber wood                                 | kg           |      |       |    |    |        | Free    | Free |    | 5%  | 5%  |      | 20%  | 18%  | Ex   |     | 10%       |                    | 2.5%                | _ |
|        | 4418.75.90            |             | Other  | kg           |      |       |    |    |        | Free    | Free |    | 5%  | 5%  |      | 20%  | 18%  | Ex   |     | 10%       |                    | 2.5%                | _ |
|        | 4418.79               |             | Other :  |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     |           |                    |                     |   |
|        | 4418.79.10            |             | Of rubber wood                                 | kg           |      |       |    |    |        | Free    | Free |    | 5%  | 5%  |      | 20%  | 18%  | Ex   |     | 10%       |                    | 2.5%                |   |
|        | 4418.79.90            |             | Other  | kg           |      |       |    |    |        | Free    | Free |    | 5%  | 5%  |      | 20%  | 18%  | 10%  | 6%  | 10%       |                    | 2.5%                | _ |
|        |                       | -           | Engineered structural timber products :        |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     |           |                    |                     |   |
|        | 4418.81               |             | Glue-laminated timber (glulam)                 |              |      |       |    |    |        |         | _    |    |     |     |      |      |      |      |     | 20% or    |                    |                     |   |
|        |                       |             |  | kg           |      | 0.0%  |    |    |        | Free    | Free |    | 5%  | 5%  |      | 20%  | 18%  | Ex   |     | Rs.70/=   |                    | 2.5%                |   |
|        |                       |             |  |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     | per kg    |                    |                     |   |
|        | 4418.82               |             | Cross-laminated timber (CLT or X-lam)          |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     | 20% or    |                    |                     |   |
|        |                       |             |  | kg           |      | 0.0%  |    |    |        | Free    | Free |    | 5%  | 5%  |      | 20%  | 18%  | Ex   |     | Rs.70/=   |                    | 2.5%                |   |
|        |                       |             |  |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     | per kg    |                    |                     | _ |
|        | 4418.83               |             | I beams  |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     | 20% or    |                    |                     |   |
|        |                       |             |  | kg           |      | 0.0%  |    |    |        | Free    | Free |    | 5%  | 5%  |      | 20%  | 18%  | Ex   |     | Rs.70/=   |                    | 2.5%                |   |
|        |                       |             |  |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     | per kg    |                    |                     |   |
|        | 4418.89               |             | Other  |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     | 20% or    |                    |                     |   |
|        |                       |             |  | kg           |      | 0.0%  |    |    |        | Free    | Free |    | 5%  | 5%  |      | 20%  | 18%  | Ex   |     | Rs.70/=   |                    | 2.5%                |   |
|        |                       |             |  |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     | per kg    |                    |                     |   |
|        |                       | -           | Other :  |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     |           |                    |                     |   |
|        | 4418.91               |             | Of bamboo                                      |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     | 10% or    |                    |                     |   |
|        |                       |             |  | kg           |      |       |    |    |        | Free    | Free |    | 5%  | 5%  |      | Free | 18%  | 10%  | 6%  | Rs.35/=   |                    | 2.5%                |   |
|        |                       |             |  |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     | per kg    |                    |                     |   |
|        | 4418.92               |             | Cellular wood panels                           |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     | 20% or    |                    |                     |   |
|        |                       |             |  | kg           |      |       |    |    |        | Free    | Free |    | 5%  | 5%  |      | 20%  | 18%  | Ex   |     | Rs.70/=   |                    | 2.5%                |   |
|        |                       |             |  |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     | per kg    |                    |                     |   |
|        | 4418.99               |             | Other  |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     | 20% or    |                    |                     |   |
|        |                       |             |  | kg           |      |       |    |    |        | Free    | Free |    | 5%  | 5%  |      | 20%  | 18%  | 10%  |     | Rs.70/=   |                    | 2.5%                |   |
|        |                       |             |  |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     | per kg    |                    |                     |   |
| .19    |                       |             | Tableware and kitchenware, of wood.            |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     |           |                    |                     | l |
|        |                       |             |  |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     |           |                    |                     | _ |
|        |                       | -           | Of bamboo :                                    |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     | 4.50/     |                    |                     | - |
|        | 4419.11               |             | Bread boards, chopping boards and similar      |              |      |       |    |    |        |         | _    |    |     |     |      |      |      |      |     | 15% or    |                    |                     |   |
|        |                       |             | boards   | kg           |      | 18.0% |    |    |        | Free    | Free |    | 5%  | 5%  |      | 20%  | 18%  | 10%  | 6%  | Rs.70/=   |                    | 2.5%                |   |
|        |                       | _           |  |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     | per kg    |                    |                     | • |
|        | 4419.12               |             | Chopsticks                                     |              |      |       |    |    |        | -       | _    |    |     |     |      |      | 1001 | 100/ | 604 | 15% or    |                    | <b>a a</b> <i>a</i> |   |
|        |                       |             |  | kg           |      | 18.0% |    |    |        | Free    | Free |    | 5%  | 5%  |      | 20%  | 18%  | 10%  | 6%  | Rs.70/=   |                    | 2.5%                |   |
|        |                       |             | <u></u>  |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     | per kg    |                    |                     | • |
|        | 4419.19               |             | Other  |              |      |       |    |    |        | _       | _    |    |     |     |      |      |      |      |     | 25% or    |                    |                     |   |
|        |                       |             |  | kg           |      | 18.0% |    |    |        | Free    | Free |    | 5%  | 5%  |      | 20%  | 18%  | 10%  |     | Rs.70/=   |                    | 2.5%                |   |
|        |                       | _           |  |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     | per kg    |                    |                     | • |
|        | 4419.20               | -           | Of tropical wood                               | Ι.           | 1    |       |    |    |        | _       | _    |    |     |     |      |      |      | _    |     | 25% or    |                    |                     |   |
|        |                       |             |  | kg           | 1    | 18.0% |    |    |        | Free    | Free |    | 5%  | 5%  |      | 20%  | 18%  | Ex   |     | Rs.70/=   |                    | 2.5%                |   |
|        |                       |             |  |              | I    |       |    |    |        |         |      |    |     |     |      |      |      |      |     | per kg    |                    |                     |   |
|        | 4419.90               | -           | Other  | Ι.           |      |       |    |    |        | _       |      |    |     | _   |      |      |      |      |     | 25% or    |                    |                     |   |
|        |                       |             |  | kg           |      | 18.0% |    |    |        | Free    | Free |    | 5%  | 5%  |      | 20%  | 18%  | 10%  |     | Rs.70/=   |                    | 2.5%                |   |
|        |                       |             |  |              |      |       |    |    |        |         |      |    |     |     |      |      |      |      |     | per kg    |                    |                     | _ |
|        | 1                     | 1           |  |              | 1    | l     | I  | I  | 1      | ļ       | I    |    | 1   | I   | 1    | l    | 1    | 1    |     | PUINY     | 1                  |                     |   |

|        |            |  |          | ICL/ |       |    |    | Ρ  | refere | ntial D | uty |      |       |       | Gen  |      | P         | AL |                                      | Surcharge          |       | S      |
|--------|------------|--|----------|------|-------|----|----|----|--------|---------|-----|------|-------|-------|------|------|-----------|----|--------------------------------------|--------------------|-------|--------|
| HS Hdg | HS Code    | Description  | Unit     | SLSI | AP    | AD | BN | GT | IN     | РК      | SA  | SF   | SD    | SG    | Duty | VAT  | Gen       | SG | Cess                                 | on Customs<br>Duty | SSCL  | C<br>L |
|        |            |  |          |      |       |    |    |    |        |         |     |      |       |       |      |      |           |    |                                      |                    |       |        |
| 44.20  |            | Wood marquetry and inlaid wood; caskets<br>and cases for jewellery or cutlery, and<br>similar articles, of wood; statuettes and<br>other ornaments, of wood; wooden<br>articles of furniture not falling in Chapter<br>94. |          |      |       |    |    |    |        |         |     |      |       |       |      |      |           |    |                                      |                    |       |        |
|        |            |  |          |      |       |    |    |    |        |         |     |      |       |       |      |      |           |    |                                      |                    |       | _      |
|        | 4420.11    | Statuettes and other ornaments : Of tropical wood  | kg       |      | 18.0% |    |    |    | Free   | Free    |     | 5%   | 5%    |       | 20%  | 18%  | Ex        |    | 20% or<br>Rs.35/=<br>per kg          |                    | 2.5%  | +      |
|        | 4420.19    | Other  | kg       |      | 18.0% |    |    |    | Free   | Free    |     | 5%   | 5%    |       | 20%  | 18%  | Ex        |    | 20% or<br>Rs.35/=<br>per kg          |                    | 2.5%  |        |
|        | 4420.90    | - Other  | kg       |      | 18.0% |    |    |    | Free   | Free    |     | 5%   | 5%    |       | 20%  | 18%  | 10%       |    | 20% or<br>Rs.35/=<br>per kg          |                    | 2.5%  |        |
| 44.21  |            | Other articles of wood.  |          |      |       |    |    |    |        |         |     |      |       |       |      |      |           |    |                                      |                    |       | —      |
| 44.21  |            | Other articles of wood.  |          |      |       |    |    |    |        |         |     |      |       |       |      |      |           |    |                                      |                    |       | 4      |
|        | 4421.10    | - Clothes hangers  | ka       |      | 18.0% |    |    |    | Free   | Free    |     | 5%   | 5%    |       | 20%  | 18%  | 10%       | 6% | 10%                                  |                    | 2.5%  | +      |
|        | 4421.20    | - Coffins  | kg<br>kg |      | 16.0% |    |    |    | Free   | Free    |     | 5%   | 4.5%  |       | 20%  | 18%  | 10%<br>Ex | 0% | 10%                                  |                    | 2.5%  | -      |
|        | 1121.20    | - Other :  | ĸġ       |      |       |    |    |    | TICC   | TICC    |     | 570  | 1.570 |       | 2070 | 1070 | LA        |    | 10 /0                                | 1                  | 2.370 | +      |
|        | 4421.91    | Of bamboo :  |          |      |       |    |    |    |        |         |     |      |       |       |      |      |           |    |                                      |                    |       | 1      |
|        | 4421.91.10 | Match splints  | kg       |      |       |    |    |    | Free   | Free    |     | 5%   | 4.5%  | 16.7% | 20%  | 18%  | Ex        |    |                                      |                    | 2.5%  |        |
|        | 4421.91.20 | Spools, cops, bobbins, sewing thread reels and the like, of turned wood  | kg       |      |       |    |    |    | Free   | Free    |     | Free | Free  | Free  | Free | 18%  | Ex        |    |                                      |                    | 2.5%  |        |
|        | 4421.91.30 | Tooth picks, skewers and barbecue sticks   | kg       |      |       |    |    |    | Free   | Free    |     | 5%   | 5%    |       | 20%  | 18%  | 10%       | 6% |                                      |                    | 2.5%  | _      |
|        | 4421.91.90 | Other  | kg       |      |       |    |    |    | Free   | Free    |     | Free | Free  | Free  | Free | 18%  | 10%       | 6% |                                      |                    | 2.5%  |        |
|        | 4421.99    | Other :  |          |      |       |    | L  |    |        |         |     |      |       |       |      |      |           |    |                                      |                    |       | _      |
|        | 4421.99.10 | Match splints  | kg       |      |       |    |    |    | Free   | Free    |     | 5%   | 4.5%  | 16.7% | 20%  | 18%  | Ex        |    |                                      |                    | 2.5%  | _      |
|        | 4421.99.20 | Spools, cops, bobbins, sewing thread reels and the like, of turned wood  | kg       |      |       |    |    |    | Free   | Free    |     | Free | Free  | Free  | Free | 18%  | Ex        |    |                                      |                    | 2.5%  |        |
|        | 4421.99.30 | Tooth picks, skewers and barbecue sticks   | kg       |      |       |    |    |    | Free   | Free    |     | 5%   | 5%    |       | 20%  | 18%  | 10%       | 6% |                                      |                    | 2.5%  | _      |
|        | 4421.99.41 | Handicraft :<br>Of coconut wood  | kg       |      |       |    |    |    | Free   | Free    |     | 5%   | 5%    |       | 20%  | 18%  | Ex        |    | 25% or<br>Rs.70/=                    |                    | 2.5%  |        |
|        | 4421.99.49 | Other  | kg       |      |       |    |    |    | Free   | Free    |     | 5%   | 5%    |       | 20%  | 18%  | 10%       |    | per kg<br>25% or<br>Rs70/=<br>per kg |                    | 2.5%  | +      |
|        | 4421.99.90 | Other  | kg       |      |       |    |    |    | Free   | Free    |     | 5%   | 5%    |       | 20%  | 18%  | 10%       |    | 25% or<br>Rs70/=<br>per kg           |                    | 2.5%  |        |