Chapter 72

Iron and steel

Notes.

1. In this Chapter and, in the case of Notes (d), (e) and (f) throughout the Nomenclature, the following expressions have the meanings hereby assigned to them:

(a) Pig iron

Iron-carbon alloys not usefully malleable, containing more than 2 % by weight of carbon and which may contain by weight one or more other elements within the following limits:

- not more than 10 % of chromium
- not more than 6 % of manganese
- not more than 3 % of phosphorus
- not more than 8 % of silicon
- a total of not more than 10 % of other elements

(b) Spiegeleisen

Iron-carbon alloys containing by weight more than 6 % but not more than 30 % of manganese and otherwise conforming to the specification at (a) above.

(c) Ferro-alloys

Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurising agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4 % or more of the element iron and one or more of the following:

- more than 10 % of chromium
- more than 30 % of manganese
- more than 3 % of phosphorus
- more than 8 % of silicon
- a total of more than 10 % of other elements, excluding carbon, subject to a maximum content of 10 % in the case of copper.

(d) Steel

Ferrous materials other than those of heading 72.03 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2 % or less of carbon.

However, chromium steels may contain higher proportions of carbon.

(e) Stainless steel

Alloy steels containing, by weight, 1.2 % or less of carbon and 10.5 % or more of chromium, with or without other elements.

(f) Other alloy steel

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:

- 0.3 % or more of aluminium
- 0.0008 % or more of boron
- 0.3 % or more of chromium
- 0.3 % or more of cobalt
- 0.4 % or more of copper
- 0.4 % or more of lead
- 1.65 % or more of manganese
- 0.08 % or more of molybdenum
- 0.3 % or more of nickel
- 0.06 % or more of niobium
- 0.6 % or more of silicon
- 0.05 % or more of titanium
- 0.3 % or more of tungsten (wolfram)
- 0.1 % or more of vanadium

- 0.05 % or more of zirconium
- 0.1 % or more of other elements (except sulphur, phosphorus, carbon and nitrogen), taken separately.

(g) Remelting scrap ingots of iron or steel

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron,

spiegeleisen or ferro-alloys.

(h) Granules

Products of which less than 90 % by weight passes through a sieve with a mesh aperture of 1 mm and of which 90 % or more by weight passes through a sieve with a mesh aperture of

5mm.

(ij) Semi-finished products

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and

Other products of solid section, which have not been further worked than subjected to primary hotrolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

(k) Flat-rolled products

Rolled products of solid rectangular (other than square) cross-section, which do not conform to the definition at (ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least ten times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, chequers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not there by assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

(I) Bars and rods, hot-rolled, in irregularly wound coils

Hot-rolled products in irregularly wound coils, which have a solid cross-section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

(m) Other bars and rods

Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross-section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process(reinforcing bars and rods);
- be twisted after rolling.

(n) Angles, shapes and sections

Products having a uniform solid cross-section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire

Chapter 72 does not include products of heading 73.01 or 73.02.

(o) Wire

Cold-formed products in coils, of any uniform solid cross-section along their whole length, which do not conform to the definition of flat-rolled products.

(p) Hollow drill bars and rods

Hollow bars and rods of any cross-section, suitable for drills, of which the greatest external dimension of the cross-section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 73.04.

- 2.- Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.
- 3.- Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified, according to their form, their composition and their appearance, in the headings of this Chapter appropriate to similar hot-rolled products.

Subheading Notes.

1.- In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Alloy pig iron

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0.2 % of chromium
- more than 0.3 % of copper
- more than 0.3 % of nickel
- more than 0.1 % of any of the following elements: aluminium, molybdenum, titanium, ungsten (wolfram), vanadium.

(b) Non-allov free-cutting steel

Non-alloy steel containing, by weight, one or more of the following elements in the specified proportions:

- 0.08 % or more of sulphur
- 0.1 % or more of lead
- more than 0.05 % of selenium
- more than 0.01 % of tellurium
- more than 0.05 % of bismuth.

(c) Silicon-electrical steel

Alloy steels containing by weight at least 0.6 % but not more than 6 % of silicon and not more than 0.08 % of carbon. They may also contain by weight not more than 1 % of aluminium but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) High speed steel

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7 % or more, 0.6 % or more of carbon and 3 to 6 % of chromium.

(e) Silico-manganese steel

Alloy steels containing by weight:

- not more than 0.7 % of carbon,
- 0.5 % or more but not more than 1.9 % of manganese, and
- 0.6 % or more but not more than 2.3 % of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.
- 2.- For the classification of ferro-alloys in the subheadings of heading 72.02 the following rule should be observed:

A ferro-alloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in Chapter Note 1 (c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

					TCL /				F	refere	ential [Outy				Gen		P/	AL	Ce	ess	Excise		S
HS Hdg	HS Code		Description	Unit	SLSI	AP	AD	BN	GT	IN	PK	SA	SF	SD	SG	Duty	VAT	Gen	SG	GEN	SG	(S.P.D)	SSCL	C L
			I PRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWERED FORM																					
72.01			Pig iron and, Spiegeleisen in pigs, blocks or other primary forms.																					
	7201.10		Non-alloy pig iron containing by weight 0.5% or less of phosphorus	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	\Box
	7201.20		Non-alloy pig iron containing by weight more than 0.5% of phosphorus	kg		Free				Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	
	7201.50	-	Alloy pig iron; spiegeleisen	kg		Free				Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	\vdash

					ICL/				F	Prefere	ential C	outy				Gen		P	AL	C	ess	Excise		S
HS Hdg	HS Code		Description	Unit	SLSI	AP	AD	BN	GT	IN	PK	SA	SF	SD	SG	Duty	VAT	Gen	SG	GEN	SG	(S.P.D)	SSCL	C L
72.02			E																					
72.02			Ferro-alloys.																					
		1	F																					+
	7202.11	1	Ferro-manganese : Containing by weight more than 2% of																					+
	7202.11		carbon	kg		Free				Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7202.19		Other	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	1
		-	Ferro-silicon :																					
	7202.21		Containing by weight more than 55% of silicon	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7202.29		Other	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	
	7202.30	-	Ferro-silico-manganese	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	1
		-	Ferro-chromium:																					
	7202.41		Containing by weight more than 4% of carbon	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	
	7202.49		Other	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	1
	7202.50	-	Ferro-silico-chromium	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	
	7202.60	-	Ferro-nickel	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	
	7202.70	-	Ferro-molybdenum	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	
	7202.80	-	Ferro-tungsten and ferro-silico-tungsten	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	_
		-	Other:								_													
	7202.91		Ferro-titanium and ferro-silico-titanium	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	_
	7202.92		Ferro-vanadium	kg						Free	Free		Free	Free	Free	Free	18%	Ex				ļ	2.5%	₩
	7202.93 7202.99	 	Ferro-niobium	kg						Free	Free		Free	Free	Free	Free	18% 18%	Ex Ex					2.5% 2.5%	+
	7202.99		Other	kg						Free	Free		Free	Free	Free	Free	10%	EX				1	2.5%	+-
			reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94%, in lumps, pellets or similar forms.																					
	7203.10	-	Ferrous products obtained by direct reduction	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
			of iron ore																070					4-
	7203.90	-	Other	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	+
72.04			Ferrous waste and scrap; remelting scrap ingots of iron or steel.																					
		1			L.		<u> </u>	<u> </u>		<u> </u>			_	<u> </u>	_									—
<u> </u>	7204.10	-	Waste and scrap of cast iron	kg	L		<u> </u>	-		Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	+-
-	7204.21	+-	Waste and scrap of alloy steel : Of stainless steel	kg	-		 	-		Free	Free		Free	Free	Free	Free	18%	Ex			-	-	2.5%	+-
	7204.21		Other	kg	L					Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	+-
	7204.30	-	Waste and scrap of tinned iron or steel	kg	i i					Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	+-
	7204.50	1-	Other waste and scrap :	Kg	_					1100	1100		TICC	1100	1100	1100	10 /0	10 /0	070				2.570	+
	7204.41		Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings,	kg	L					Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
<u> </u>	7204.40	+-	whether or not in bundles	1.			<u> </u>	-		-	-		E.	-	F	-	1007	100/	601				2.50/	+
	7204.49	1	Other	kg	L		 			Free	Free		Free	Free	Free	Free	18%	10%	6%			 	2.5%	+-
	7204.50	+-	Remelting scrap ingots	kg	L		 	-		Free	Free		Free	Free	Free	Free	18%	Ex			-	-	2.5%	+-
72.05			Granules and powders, of pig iron, spiegeleisen, iron or steel.																					
	7205.10	1-	Granules	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	1
		1-	Powders :				†										-370		- 70				1.5	1
	7205.21	I	Of alloy steel	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	1

									F	Prefere	ential I	Outy				_		P	AL	C	ess			S
HS Hdg	HS Code		Description	Unit	ICL/ SLSI	AP	AD	BN	GT	IN	PK	SA	SF	SD	sg	Gen Duty	VAT	Gen	sg	GEN	sg	Excise (S.P.D)	SSCL	C L
	7205.29		Other	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	\blacksquare
	7203.23		Other	Ng						TICC	1100		1100	1100	1100	1100	10 /0	10 /0	0 70				2.5 /0	+
			II IRON AND NON-ALLOY STEEL																					Ħ
72.06			Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading 72.03).																					
	7206.10	_	Ingots	ka						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	\blacksquare
	7206.90	-	Other	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	囯
72.07			Semi-finished products of iron or non- alloy steel.																					
		-	Containing by weight less than 0.25% of carbon :																					
	7207.11		Of rectangular (including square) cross- section, the width measuring less than twice the thickness																					
	7207.11.10		Billets	kg						Free	Free		Free	Free	Free	Free	18%	2.5%	6.0%				2.5%	
•	7207.11.90		Other	kg		·				Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	
	7207.12		Other, of rectangular (other than square) cross-section																					
	7207.12.10		Billets	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	
	7207.12.90		Other	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	
	7207.19		Other	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	

					TCI /				F	refere	ential I	Duty				Com		P	AL	C	ess	Fusias		S
HS Hdg	HS Code		Description	Unit	ICL/ SLSI	AP	AD	BN	GT	IN	PK	SA	SF	SD	SG	Gen Duty	VAT	Gen	SG	GEN	SG	Excise (S.P.D)	SSCL	C L
	7207 20		Containing by weight 0.250/																					+
	7207.20	-	Containing by weight 0.25% or more of carbon																					
	7207.20.10		Billets	ka	1					Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	+
	7207.20.10		Other	ka						Free			Free	Free	Free	Free	18%	Ex				1	2.5%	+
	7207120130		04.6								1.00					1.00	2070						2.070	+
72.08			Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot- rolled, not clad, plated or coated.																					
	7208.10	-	In coils, not further worked than hot-rolled, with patterns in relief	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	
		-	Other, in coils, not further worked than hot- rolled, pickled:																					
	7208.25		Of a thickness of 4.75 mm or more	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	Т
	7208.26		Of a thickness of 3 mm or more but less than 4.75 mm	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	
	7208.27		Of a thickness of less than 3 mm	kg						Free	Free		Free	Free	Free	Free	18%	5%	6%				2.5%	T
		-	Other, in coils, not further worked than hot- rolled:	J																				
	7208.36		Of a thickness exceeding 10 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	T
	7208.37		Of a thickness of 4.75 mm or more but not exceeding 10 mm	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	Ī
	7208.38		Of a thickness of 3 mm or more but less than 4.75 mm	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	T
	7208.39		Of a thickness of less than 3 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%			1	2.5%	T
	7208.40	-	Not in coils, not further worked than hot- rolled, with patterns in relief	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
		-	Other, not in coils, not further worked than hot-rolled:																					
	7208.51	 	Of a thickness exceeding 10 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%			1	2.5%	T
	7208.52		Of a thickness of 4.75 mm or more but not exceeding 10 mm	kg						Free			Free	Free	Free	Free	18%	10%	6%				2.5%	T
	7208.53		Of a thickness of 3 mm or more but less than 4.75 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	Ī
	7208.54		Of a thickness of less than 3 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%			1	2.5%	T
	7208.90	-	Other	ka						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	T

					ICL/					Prefere	ential I	Duty				Gen		P	AL	C	ess	Excise		S
HS Hdg	HS Code		Description	Unit	SLSI	AP	AD	BN	GT	IN	PK	SA	SF	SD	SG	Duty	VAT	Gen	sg	GEN	SG	(S.P.D)	SSCL	C L
72.09			Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated (+).																					
		-	In coils, not further worked than cold-rolled (cold-reduced) :																					
	7209.15		Of a thickness of 3 mm or more	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7209.16		Of a thickness exceeding 1 mm but less than 3 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7209.17		Of a thickness of 0.5 mm or more but not exceeding 1 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7209.18		Of a thickness of less than 0.5 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
		-	Not in coils, not further worked than cold- rolled (cold-reduced):	J																				
	7209.25		Of a thickness of 3 mm or more	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7209.26		Of a thickness exceeding 1 mm but less than 3 mm	kg		Free				Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7209.27		Of a thickness of 0.5 mm or more but not exceeding 1 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7209.28		Of a thickness of less than 0.5 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7209.90	-	Other	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
72.10			Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated .																					
			District the second sec								ļ													4
	7210 11	-	Plated or coated with tin:	1		1	-	-	ļ	Fue:	Fue:	1	- Fuer	Fuer	- Fuer	Fuee	100/	100/	C0/	-	1		2.50/	+
	7210.11		Of a thickness of 0.5 mm or more	kg		1	-	-	ļ	Free	Free	!	Free	Free	Free	Free	18%	10%	6%	-	1		2.5%	+
	7210.12		Of a thickness of less than 0.5 mm:	l.a	1	1	-	-	!	For a	Fac.	!	Fuer	Fuer	- Fund	Fuee	18%	100/	6%				2.50/	+
	7210.12.10		Printed	kg		1	-	-	!	Free	Free	!	Free	Free	Free	Free	18%	10%	6%				2.5%	+
	7210.12.20		Electrolytic tin plates for the manufacture of metal fittings for tea chests	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7210.12.90		Other	kg					<u> </u>	Free	Free	<u> </u>	Free	Free	Free	Free	18%	10%	6%		1		2.5%	\bot
	7210.20	-	Plated or coated with lead, including terne- plate	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7210.30		Electrolytically plated or coated with zinc	kg						Free	Free		Free	Free	Free	Free	18%	5%	2%				2.5%	

					ICL/				F	refere	ential I	Outy				Gen		P	AL	C	ess	Excise		S
HS Hdg	HS Code		Description	Unit	SLSI	AP	AD	BN	GT	IN	PK	SA	SF	SD	SG	Duty	VAT	Gen	SG	GEN	SG	(S.P.D)	SSCL	L
																								T
		-	Otherwise plated or coated with zinc :																					
	7210.41		Corrugated	kg												20%	18%	10%		10%			2.5%	
	7210.49		Other:																					
	7210.49.10		Flat sheets, of a thickness not exceeding 0.17 mm, in rolls	kg											Free	Free	18%	10%	6%				2.5%	
			Flat sheets, of a thickness exceeding 0.17mm , in rolls																					
	7210.49.21		Galvanized and annealed (galvanealed)	kg											Free	Free	18%	10%	6%				2.5%	
	7210.49.22		Not further worked after hot dipping	kg												20%	18%	10%					2.5%	
	7210.49.29		Other	ka												20%	18%	10%					2.5%	T
	7210.49.90		Other	ka												20%	18%	10%		10%			2.5%	T
	7210.50	-	Plated or coated with chromium oxides or with chromium and chromium oxides	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
		-	Plated or coated with aluminium :														18%							T
	7210.61		Plated or coated with aluminium-zinc allovs	ka						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	T
	7210.69		Other	ka						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	T
	7210.70	-	Painted, varnished or coated with plastics	kg		Free				Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	T
	7210.90	-	Other	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	Ŧ
2.11			Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated.																					
		+-	Not further worked than hot-rolled :																			1		╁
	7211.13		Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	
	7211.14		Other, of a thickness of 4.75 mm or more	ka						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	T
	7211.19		Other	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	T
	-	-	Not further worked than cold-rolled (cold-reduced) :																					
	7211.23		Containing by weight less than 0.25% of carbon	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7211.29		Other	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	T
	7211.90	-	Other	kg						Free			Free	Free	Free	Free	18%	10%	6%				2.5%	T
																							·	

					ICL/					Prefere	ential	Duty				Gen		P	AL	Ce	ess	Excise		S
HS Hdg	HS Code		Description	Unit	SLSI	AP	AD	BN	GT	IN	РК	SA	SF	SD	SG	Duty	VAT	Gen	SG	GEN	SG	(S.P.D)	SSCL	C L
																								_
72.12			Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated .																					
																								Щ
	7212.10 7212.10.10		Plated or coated with tin : Electrolytic tin plate of a thickness not	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	t
	7212.10.90	-	exceeding 0.22 mm Other	ka						Free	Free		Free	Free	Free	Free	18%	10%	6%			-	2.5%	+
	7212.10.90		Electrolytically plated or coated with zinc :	Kg						riee	rree		riee	riee	rree	riee	10%	10%	0%			+	2.5%	+
	7212.20.10		Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 Mpa	kg									4%	1.5%	Free	Free	18%	10%	6%				2.5%	
	7212.20.90	1	Other	ka						1	1		Free	Free	Free	Free	18%	10%	6%			+	2.5%	+
	7212.30	-	Otherwise plated or coated with zinc	kg									Ticc	Tice	Ticc	20% or Rs.35/= per kg		10%	070				2.5%	
	7212.40	T-	Painted, varnished or coated with plastics	ka		Free				Free	Free		5%	4.5%	Free	Free	18%	5%	2%				2.5%	+
	7212.50	1-	Otherwise plated or coated :	9									370	115 75			2070	370					2.070	1
	7212.50.10		Plated or coated with chromium oxides or with chromium and chromium oxides	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	
	7212.50.90		Other	ka						Free	Free		6.75%	4.5%		15%	18%	10%	6%				2.5%	T
	7212.60	-	Clad	kg						Free	Free		6.75%	4.5%	Free	Free	18%	Ex					2.5%	
72.13			Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel.																					
	7213.10	-	Containing indentations, ribs, grooves or other deformations produced during the rolling process:																					
	7213.10.10		Flattened circles and modified rectangles Ribbed Steel Bars for the Reinforcement of Concrete	kg	S											20%	18%	Ex		Rs.10/= per kg			2.5%	
	7213.10.90		Other																	10% or				
			Ribbed Steel Bars for the Reinforcement of Concrete	kg	S	-										20%	18%	Ex		Rs.25/= per kg			2.5%	
	7213.20	-	Other, of free-cutting steel	kg						Free	Free		5%	4.5%		20%	18%	Ex		Rs.10/= per kg			2.5%	L
		<u> </u>	Other:		ļ			ļ			ļ													\bot
	7213.91		Of circular cross-section measuring less than 14 mm in diameter																					

					ICL/					Prefere	ential [Outy				Gen		P	AL	Ce	ess	Excise		S
HS Hdg	HS Code		Description	Unit	SLSI	AP	AD	BN	GT	IN	PK	SA	SF	SD	SG	Duty	VAT	Gen	SG	GEN	SG	(S.P.D)	SSCL	C L
	7213.91.10		Circular cross-section measuring less than 8 mm Plain Steel Bars and Coils for the Reinforcement of Concrete / Hot Rolled Steel Bars for Structural and General Engineering Purposes i) Round Bars ii) Square Bars iii) Flats	kg	S					Free	Free		Free	Free		Rs.5/= per kg	18%	5%	6%	Rs.10/= per kg	Rs.12/= per kg		2.5%	
	7213.91.90		Other Plain Steel Bars and Coils for the Reinforcement of Concrete / Hot Rolled Steel Bars for Structural and General Engineering Purposes i) Round Bars ii) Square Bars iii) Flats	kg	S					Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7213.99		Other Plain Steel Bars and Coils for the Reinforcement of Concrete / Hot Rolled Steel Bars for Structural and General Engineering Purposes i) Round Bars ii) Square Bars iii) Flats	kg	S					Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
72.14			Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling.																					
	7214.10	-	Forged:																					
	7214.10.10		Flattened circles and modified rectangles Hot Rolled Steel Bars for Structural and General Engineering Purposes i) Round Bars ii) Square Bars iii) Flats	kg	S											20%	18%	Ex		Rs.10/= per kg			2.5%	
	7214.10.90		Other																					
			Plain Steel Bars and Coils for the Reinforcement of Concrete / Hot Rolled Steel Bars for Structural and General Engineering Purposes i) Round Bars ii) Square Bars iii) Flats	kg	S											20%	18%	10%		10% or Rs.40/= per kg			2.5%	
	7214.20	-	Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling:																					
	7214.20.10		Flattened circles and modified rectangles	ka												20%	18%	10%		Rs.10/=			2 50%	

					TCL /				F	refere	ential [Outy				Gen		P	AL	Ce	ss	Excise		s
HS Hdg	HS Code		Description	Unit	ICL/ SLSI	AP	AD	BN	GT	IN	PK	SA	SF	SD	SG	Duty	VAT	Gen	SG	GEN	SG	(S.P.D)	SSCL	L
			Ribbed Steel Bars for the Reinforcement of Concrete	ĸg	S											20 /0	1070	10 /0		per kg			2.5 /0	\vdash
	7214.20.90		Other Ribbed Steel Bars for the Reinforcement of	kg												20%	18%	10%		10% or Rs.50/=			2.5%	
			Concrete		S															per kg				
	7214.30	-	Other, of free-cutting steel	kg												20%	18%	10%		Rs.10/= per kg			2.5%	
	7214.91		Other: Of rectangular (other than square) cross-section:																					
	7214.91.10		Flat bars of a width not exceeding 30 mm and thickness not exceeding 6 mm, containing by weight less than 0.25% of carbon Plain Steel Bars and Coils for the																					
			Reinforcement of Concrete / Hot Rolled Steel Bars for Structural and General Engineering Purposes i) Round Bars ii) Square Bars iii) Flats	kg	S											20%	18%	Ex		10% or Rs.40/= per kg			2.5%	
	7214.91.20		Other, containing by weight less than 0.25% of carbon, other than flat bars																					
			Plain Steel Bars and Coils for the Reinforcement of Concrete / Hot Rolled Steel Bars for Structural and General Engineering Purposes i) Round Bars ii) Square Bars iii) Flats	kg	S											20%	18%	Ex		10% or Rs.40/= per kg			2.5%	
	7214.91.90		Other																					
			Hot Rolled Steel Bars for Structural and General Engineering Purposes i) Round Bars ii) Square Bars iii) Flats	kg	S											Rs.5/= per kg	18%	10%		Rs.10/= per kg			2.5%	
	7214.99		Other																					
			Plain Steel Bars and Coils for the Reinforcement of Concrete / Hot Rolled Steel Bars for Structural and General Engineering Purposes i) Round Bars ii) Square Bars iii) Flats	kg	S											20%	18%	10%		Rs.10/= per kg			2.5%	

				ICL/				ı	Prefere	ential I	Duty				Gen		P	AL	Ce	ess	Excise		S
HS Hdg	HS Code	Description	Unit	SLSI	AP	AD	BN	GT	IN	РК	SA	SF	SD	SG	Duty	VAT	Gen	SG	GEN	SG	(S.P.D)	SSCL	C L
72.15		Other bars and rods of iron or non-alloy steel .																					
	7215.10	Of free-cutting steel, not further worked than cold-formed or cold-finished	kg						Free	Free		6%	4.5%		15%	18%	10%	6%				2.5%	
7215.5	7215.50	- Other, not further worked than cold-formed or cold-finished Ribbed Steel Bars for the Reinforcement of Concrete / Plain Steel Bars and Coils for the Reinforcement of Concrete / Hot Rolled Steel Bars for Structural and General Engineering Purposes i) Round Bars ii) Square Bars iii) Flats	kg	S					Free	Free		6%	4.5%		15%	18%	10%	6%				2.5%	
	7215.90	- Other Plain Steel Bars and Coils for the Reinforcement of Concrete	kg	S					Free	Free		6%	4.5%		15%	18%	10%	6%				2.5%	
72.16		Angles, shapes and sections of iron or non-alloy steel (+).																					
	7216.10	- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm Hot rolled structural steel sections i) U sections ii) L sections iii) T sections	kg	S					Free	Free		5%	4.5%		20%	18%	10%		Rs.10/= per kg			2.5%	
		 L or T sections, not further worked than hot- rolled, hot-drawn or extruded, of a height of less than 80 mm: 																					
	7216.21	L sections Hot rolled structural steel sections i) U sections ii) L sections iii) T sections	kg	S											20%	18%	10%		10% or Rs.40/= per kg			2.5%	
72	7216.22	T sections Hot rolled structural steel sections i) U sections ii) L sections iii) T sections	kg	S					Free	Free		5%	4.5%		20%	18%	10%		Rs.10/= per kg			2.5%	
7		 U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more: 	:																				
	7216.31	U sections Hot rolled structural steel sections i) U sections ii) L sections iii) T sections	kg	S						Free		5%	4.5%		20%	18%		6%				2.5%	
	7216.32 7216.33	I sections H sections	kg kg				L			Free Free	L	5% 5%	4.5% 4.5%	Free	20% Free	18% 18%	10% 10%	6% 6%				2.5% 2.5%	oxdot

				ICL/				P	refere	ential I	Duty				Gen		P	AL	Ce	ess	Excise		S
HS Hdg	HS Code	Description	Unit	SLSI	AP	AD	BN	GT	IN	PK	SA	SF	SD	SG	Duty	VAT	Gen	sg	GEN	sg	(S.P.D)	SSCL	C L
	7216.40	L or T sections, not further worked than I rolled, hot-drawn or extruded, of a height 80 mm or more Hot rolled structural steel sections i) U sections ii) L sections iii) T sections		S					Free	Free		5%	4.5%		15%	18%	10%	6%				2.5%	
	7216.50	Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn extruded Hot rolled structural steel sections i) U sections ii) L sections iii) T sections	l or kg	S					Free	Free		5%	4.5%		15%	18%	10%	6%				2.5%	
	7216.61	 Angles, shapes and sections, not further worked than cold-formed or cold- finished Obtained from flat-rolled products 	l:						Free	Free		5%	4.5%		15%	18%	10%	6%				2.5%	
	7216.69	Other - Other :	kg						Free	Free		5%	4.5%		15%	18%	10%	6%				2.5%	\vdash

HS Hdg					ICL/				F	refere	ential I	Duty				Gen		P.	AL	Ce	ess	Excise		S
	HS Code		Description	Unit	SLSI	AP	AD	BN	GT	IN	РК	SA	SF	SD	SG	Duty	VAT	Gen	SG	GEN	SG	(S.P.D)	SSCL	L
																								Ι
	7216.91		Cold-formed or cold-finished from flat-rolled	kg						Free	Free		5%	4.5%		15%	18%	10%	6%				2.5%	
	7216.99		products Other	ka						Free	Free		5%	4.5%		15%	18%	10%	6%				2.5%	+
+	7210.99		Other	Kg						пее	пее		370	4.5%		1370	1070	10%	070				2.3%	+
2.17			Wire of iron or non-alloy steel .																					t
	7217.10	-	Not plated or coated, whether or not polished																					+
	,, ,		The places of courses, missines of the pensiles			13.5%				F	F		F0/	4 50/		15%	100/	100/	6%				2 50/	
			Mild Steel Wires	kg	S	13.5%				Free	Free		5%	4.5%		15%	18%	10%	6%				2.5%	
					5																			
	7217.20	-	Plated or coated with zinc :																					
	7217.20.10		Wire of a solid cross section in the shape of																					
			circles measuring less than 1.6 mm in																					
			diameter	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
			Mild Steel Wires	_	S																			
					3																			
	7217.20.20		Wire of a solid cross section in the shape of								1													+
	, 21, 120120		circles measuring 1.6 mm in diameter or																					
			more but not exceeding 4 mm	1						F	F		5%	4.5%		20%	18%	10%		Rs.12/=			2.5%	
			Mild Steel Wires / Cold drawn mild steel wire	kg						Free	Free		5%	4.5%		20%	10%	10%		per kg			2.5%	
			for manufacture of wire-nails		S																			
	7247 20 00		lou.								ļ													+
	7217.20.90		Other																	Rs.12/=				
			Mild Steel Wires / Cold drawn mild steel wire	kg						Free	Free		5%	4.5%		20%	18%	10%		per kg			2.5%	
			for manufacture of wire-nails		S															per kg				
	7217.30	-	Plated or coated with other base metals	ka		Free				Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	+
	7217.90	-	Other								1.00			1.00			1070	2070	0.70				21070	T
	7217.90.10		Plated or coated with plastics							_	l _		F0/	4 50/		450/	100/	400/	601	Rs.7/=	_		2 50/	T
			т р т	kg	S					Free	Free		5%	4.5%		15%	18%	10%	6%	per kg	Free		2.5%	
	7217.90.90		Other	kg	S					Free	Free		5%	4.5%		15%	18%	10%	6%	Rs.12/=	Free		2,5%	T
				кg						1100	1100		370	1.5 70		1370	1070	1070	0 /0	per kg	1100		2.5 /0	4
			TIT CTAIN ECC CTEE																					+
+			III STAINLESS STEEL																					+
2.18			Stainless steel in ingots or other																					t
2.10			primary forms; semi-finished products																					4
			of stainless steel.																					
	7218.10	-	Ingots and other primary forms	kg						Free	Free		Free	Free	Free	Free	18%	Ex			İ		2.5%	T
		-	Other:																					I
	7218.91		Of rectangular (other than square) cross-	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	Ī
			section									ļ												1
	7218.99		Other	kg	ļ					Free	Free	<u> </u>	Free	Free	Free	Free	18%	Ex					2.5%	\bot

HS Hdg			Description		ICL/				ı	Prefere	ential Duty					Gen		PAL		. Cess		Excise		S
	HS Code			Unit	SLSI	AP	AD	BN	GT	IN	РК	SA	SF	SD	SG	Duty	VAT	Gen	SG	GEN	SG	(S.P.D)	SSCL	C L
																								I
72.19			Flat-rolled products of stainless steel, of a width of 600 mm or more .																					
		-	Not further worked than hot-rolled, in coils :																					
	7219.11		Of a thickness exceeding 10 mm	ka						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	+
	7219.11		Of a thickness of 4.75 mm or more but not																					+
	7213.12		exceeding 10 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7219.13		Of a thickness of 3 mm or more but less than	1						F	F		F	F	F	F	18%	100/	6%				2.50/	T
			4.75 mm	kg						Free	Free		Free	Free	Free	Free		10%	6%				2.5%	
	7219.14		Of a thickness of less than 3 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	\bot
		-	Not further worked than hot-rolled, in coils :																					
	7219.21		Of a thickness exceeding 10 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	+
	7219.22		Of a thickness of 4.75 mm or more but not	lea						- Fran	Eroo		Fran	Fron	Fran	Eroo	18%	10%	6%				2.5%	T
			exceeding 10 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7219.23		Of a thickness of 3 mm or more but less than 4.75 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7219.24		Of a thickness of less than 3 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	T
		-	Not further worked than cold-rolled (cold-reduced):	-																				
	7219.31		Of a thickness of 4.75 mm or more	ka						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	T
	7219.32		Of a thickness of 3 mm or more but less than 4.75 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7219.33		Of a thickness exceeding 1 mm but less than 3 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7219.34		Of a thickness of 0.5 mm or more but not							_			_	<u> </u>	_	_								+
	, 223.3 .		exceeding 1 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7219.35		Of a thickness of less than 0.5 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7219.90	-	Other	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
10.00			Flat will adverse described as for the land as the standard and as the standard as the standar																					
72.20			Flat-rolled products of stainless steel, of a width of less than 600 mm.																					
		-	Not further worked than hot-rolled :																					+
	7220.11		Of a thickness of 4.75 mm or more	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	T
	7220.12		Of a thickness of less than 4.75 mm	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7220.20	-	Not further worked than cold-rolled (cold-reduced)	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7220.90	-	Other	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	1
																								1

		Description		ICL/				F	refere	ential C	Outy				Gen		P	AL	Cess		Excise		S
HS Hdg	HS Code		Unit	SLSI	AP	AD	BN	GT	IN	PK	SA	SF	SD	SG	Duty	VAT	Gen	SG	GEN	SG	(S.P.D)	SSCL	C L
72.21	7221.00.00	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel.	kg						Free	Free		5%	4.5%		15%	18%	Ex					2.5%	
72.22		Other bars and rods of stainless steel; angles, shapes and sections of stainless steel.																					
		Bars and rods, not further worked than hot- rolled, hot-drawn or extruded :																					
	7222.11	Of circular cross-section	kg						Free	Free		5%	4.5%		15%	18%	Ex					2.5%	T
	7222.19	Other	kg						Free	Free		5%	4.5%		15%	18%	10%	6%				2.5%	
	7222.20	 Bars and rods, not further worked than cold- formed or cold-finished 	kg						Free	Free		5%	4.5%		15%	18%	10%	6%				2.5%	
	7222.30	- Other bars and rods	kg						Free	Free		5%	4.5%		15%	18%	10%	6%				2.5%	_
	7222.40	- Angles, shapes and sections	kg	<u> </u>					Free	Free		5%	4.5%		15%	18%	10%	6%	-			2.5%	+
72.23	7223.00	Wire of stainless steel	kg						Free	Free		5%	4.5%		15%	18%	10%	6%				2.5%	
		IV OTHER ALLOY STEEL; HOLLOW DRILL BARS AND RODS, OF ALLOY OR NON-ALLOY STEEL																					
72.24		Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel.																					
	7224 10	To cake and able to mineral farmer							_	_		_	_		_	100/	_					2 50/	╄
	7224.10 7224.90	- Ingots and other primary forms - Other	kg						Free	Free		Free	Free	Free	Free	18%	Ex	601				2.5%	+-
	7224.90	- Other	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	₩
72.25		Flat-rolled products of other alloy steel, of a width of 600 mm or more .																					
																							<u> </u>
	7225 11	- Of silicon-electrical steel :	ka						Fran	Eroo		Fron	Eroo	Eroo	Fron	18%	١					2.5%	+
	7225.11 7225.19	Grain-oriented Other	kg kg						Free Free	Free Free		Free Free	Free Free	Free Free	Free Free	18%	Ex					2.5%	+
	7225.30	Other, not further worked than hot-rolled, in coils	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	
	7225.40	 Other, not further worked than hot-rolled, not in coils 	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7225.50	- Other, not further worked than cold-rolled (cold-reduced)	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	<u>_</u>
	7225.91	- Other: Electrolytically plated or coated with zinc	kg	1		1			Free	Free		Free	Free	Free	Free	18% 18%	10%	6%	1			2.5%	+
	7225.91	Otherwise plated or coated with zinc	kg	1		1			Free	Free		Free	Free	Free	Free	18%	5%	6%	1			2.5%	+
	7225.99	Other	kg							Free			Free		Free	18%		070	10% or Rs.35/= per kg	12% or Rs.20/= per kg		2.5%	
72.26		Flat-rolled products of other alloy steel, of a width of less than 600 mm (+).																					
		- Of silicon-electrical steel :																					上
	7226.11	Grain-oriented	kg			<u> </u>			Free	Free		Free	Free	Free	Free	18%	10%	6%	1			2.5%	\bot
	7226.19 7226.20	Other - Of high speed steel	kg	1		1			Free	Free		Free	Free	Free	Free	18%	Ex		1			2.5%	+
	7770.70	ı- TOT MAN SDEEG STEEL	kg	1		İ			Free	Free		Free	Free	Free	Free	18%	Ex		1		i	2.5%	1

HS Hdg	HS Code		Description		ICL/				F	Preferential Duty			i ty			Gen		P	AL	Ce	Cess			S
				Unit	SLSI	AP	AD	BN	GT	IN	PK	SA	SF	SD	SG	Duty	VAT	Gen	SG	GEN	SG	Excise (S.P.D)	SSCL	L
										_	_		_	_	_	_	100/	100/	60/				2 50/	╄
	7226.91		Not further worked than hot-rolled	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	+
	7226.92		Not further worked than cold-rolled (cold-	kg						Free	Free		Free	Free	Free	Free	18%	Ex					2.5%	
	7226.99		reduced) Other	ka						Free	Free		Free	Free	Free	Free	18%	10%	6%			+	2.5%	+
	7220.99		Outlet	Ky						riee	riee		riee	riee	riee	riee	10%	10%	0%				2.5%	+
72.27			Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel.																					
	7227.10		Of high speed steel	ka						Free	Free		5%	4.5%	Free	Fuee	18%	Ex					2.5%	+
	7227.10	-	Of silico-manganese steel	ka ka						Free	Free		5%	4.5%	Free	Free Free	18%	Ex		1		+	2.5%	+
	7227.20	-	Other	Kg						riee	riee		5%	4.5%	riee	riee	10%	EX					2.5%	+
			Plain Steel Bars and Coils for the Reinforcement of Concrete / Hot Rolled Steel Bars for Structural and General Engineering Purposes i) Round Bars ii) Square Bars iii) Flats	kg	S					Free	Free		5%	4.5%	10.0%	10%	18%	5%	6%				2.5%	
72.28			Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel.																					
	7228.10		Bars and rods, of high speed steel	ka						Free	Free		5%	4.5%	Free	Free	18%	Ex					2.5%	+
	7228.20	-	Bars and rods, of silico-manganese steel	ka						Free	Free		5%	4.5%	Free	Free	18%	Ex					2.5%	+
	7228.30	-	Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded	kg						Free	Free		Free	Free	Free	Free	18%	10%	6%				2.5%	
	7228.40	-	Other bars and rods, not further worked than forged	kg						Free	Free		5%	4.5%		15%	18%	Ex					2.5%	Ì
	7228.50	-	Other bars and rods, not further worked than cold-formed or cold-finished	kg						Free	Free		5%	4.5%		15%	18%	Ex					2.5%	
	7228.60	-	Other bars and rods	kg						Free	Free		5%	4.5%		15%	18%	10%	6%				2.5%	
	7228.70	-	Angles, shapes and sections	kg						Free	Free		5%	4.5%	Free	Free	18%	10%	6%				2.5%	
	7228.80	-	Hollow drill bars and rods	kg						Free	Free		5%	4.5%		15%	18%	Ex					2.5%	\bot
72.29			Wire of other alloy steel.																					+
12.29			wife of other alloy steel.																					
	7229.20	_	Of silico-manganese steel	kg						Free	Free		5%	4.5%	Free	Free	18%	10%	6%			+	2.5%	+
	7229.90	-	Other	kg						Free	Free		5%	4.5%	1100	15%	18%	10%	6%	Rs.12/= per kg	Free		2.5%	†